TESTAMERICA

RECEIVED
JAN 13 2009
EDMC

Analytical Data Package Prepared For

Fluor Hanford

Radiochemical Analysis By

TestAmerica TARL

2800 G.W. Way, Richland Wa, 99354, (509)-375-3131.

Data Package Contains _____ Pages

Report Nbr: 39536

RECEIVED JULY 21, 2008

SDG Nbr	ORDER Nbr	CLIENT ID NUMBER	LOT Nbr	WORK ORDER	RPT DB ID	BATCH
W05419 ✓	I08-038	B1V6L4	J8E230328-1	KNTWQ1AA	9KNTWQ10	8164618
		B1V6L0	J8E230328-2	KNTW61AA	9KNTW610	8164618
	W08-005	B1V845	J8E280293-1	KN1HA1AA	9KN1HA10	8164618
	I08-038	B1V6B1	J8E280295-1	KN1HP1AA	9KN1HP10	8164618
		B1V6B2	J8E280295-2	KN1HQ1AA	9KN1HQ10	8164618
	I08-037	B1V9W2	J8E280299-1	KN1JT1AA	9KN1JT10	8164622
		B1V9W2	J8E280299-1	KN1JT1AC	9KN1JT10	8164624
		B1V9W2	J8E280299-1	KN1JT1AD	9KN1JT10	8164617
		B1V9W2	J8E280299-1	KN1JT1AE	9KN1JT10	8164618
		B1V9W2	J8E280299-1	KN1JT1AF	9KN1JT10	8164621
		B1V9W2	J8E280299-1	KN1JT1AG	9KN1JT10	8164623
		B1V9W3	J8E280299-2	KN1JX1AA	9KN1JX10	8164622
		B1V9W3	J8E280299-2	KN1JX1AC	9KN1JX10	8164624
		B1V9W3	J8E280299-2	KN1JX1AD	9KN1JX10	8164617
		B1V9W3	J8E280299-2	KN1JX1AE	9KN1JX10	8164618

Comments:

0079752

Report Nbr: 39536

SDG Nbr	ORDER Nbr	CLIENT ID NUMBER	LOT Nbr	WORK ORDER	RPT DB ID	BATCH
W05419	I08-037	B1V9W3	J8E280299-2	KN1JX1AF	9KN1JX10	8164621
		B1V9W3	J8E280299-2	KN1JX1AG	9KN1JX10	8164623
		B1V680	J8E280299-3	KN1KG1AA	9KN1KG10	8164618
		B1V679	J8E280299-4	KN1KP1AA	9KN1KP10	8164618
		B1V687	J8E280299-5	KN1KX1AA	9KN1KX10	8164618
	I08-036	B1V608	J8E290299-1	KN3T71AA	9KN3T710	8151262
	I08-035	B1V5L1	J8F020174-1	KN78H1AA	9KN78H10	8154426
	I08-039	B1V6Y4	J8F030292-1	KPAJ71AA	9KPAJ710	8155303
	I08-038	B1V6F5	J8F040162-1	KPA601AA	9KPA6010	8164618
		B1V6F6	J8F040162-2	KPA641AA	9KPA6410	8164618
	W08-005	B1V829	J8F040165-1	KPA7M1AA	9KPA7M10	8164618
	I08-035	B1V5J7	J8F040186-1	KPCC51AA	9KPCC510	8155303
	S08-003	B1TKC2	J8F050162-1	KPEVW1AA	9KPEVW10	8164615
		B1TKC2	J8F050162-1	KPEVW1AC	9KPEVW10	8164616
		B1TKC2	J8F050162-1	KPEVW1AD	9KPEVW10	8164620
	I08-037	B1V9T9	J8F050164-1	KPEV31AA	9KPEV310	8164622
		B1V9T9	J8F050164-1	KPEV31AC	9KPEV310	8164624
		B1V9T9	J8F050164-1	KPEV31AD	9KPEV310	8164617
		B1V9T9	J8F050164-1	KPEV31AE	9KPEV310	8164618
		B1V9T9	J8F050164-1	KPEV31AG	9KPEV310	8164623
		B1V9T9	J8F050164-1	KPEV32AF	9KPEV320	8192442
	S08-001	B1RTP0	J8F050177-1	KPEX61AA	9KPEX610	8164615
		B1RTP0	J8F050177-1	KPEX61AC	9KPEX610	8164616
		B1RTP0	J8F050177-1	KPEX61AD	9KPEX610	8164617
		B1RTP0	J8F050177-1	KPEX61AE	9KPEX610	8164618
		B1RTP0	J8F050177-1	KPEX61AF	9KPEX610	8164619

Comments:

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Certificate of Analysis

Fluor Hanford
1200 Jadwin Ave.
Richland, WA 99352

July 21, 2008

Attention: Steve Trent

SAF Number	:	I08-038, W08-005, I08-038, I08-037, I08-036, I08-035, I08-039, S08-003, S08-001
Date SDG Closed	:	June 4, 2008
Number of Samples	:	Twenty (20)
Sample Type	:	Water
SDG Number	:	W05419
Data Deliverable	:	45-Day / Summary

CASE NARRATIVE

I. Introduction

Between May 23, 2008 and June 4, 2008 twenty water samples were received at STL Richland (STLR) for radiochemical analysis. Upon receipt, the samples were assigned the following laboratory ID numbers to correspond with the Fluor Hanford specific IDs:

PGW ID#	STLR ID#	DATE OF RECEIPT	MATRIX
B1V6L4	KNTWQ	5/23/08	WATER
B1V6L0	KNTW6	5/23/08	WATER
B1V845	KN1HA	5/28/08	WATER
B1V6B1	KN1HP	5/28/08	WATER
B1V6B2	KN1HQ	5/28/08	WATER
B1V9W2	KN1JT	5/28/08	WATER
B1V9W3	KN1JX	5/28/08	WATER
B1V680	KN1KG	5/28/08	WATER
B1V679	KN1KP	5/28/08	WATER
B1V687	KN1KX	5/28/08	WATER
B1V608	KN3T7	5/29/08	WATER
B1V5L1	KN78H	6/02/08	WATER
B1V6Y4	KPAJ7	6/03/08	WATER

B1V6F5	KPA60	6/03/08	WATER
B1V6F6	KPA64	6/03/08	WATER
B1V829	KPA7M	6/03/08	WATER
B1V5J7	KPCC5	6/03/08	WATER
B1TKC2	KPEVW	6/04/08	WATER
B1V9T9	KPEV3	6/04/08	WATER
B1RTP0	KPEX6	6/04/08	WATER

II. Sample Receipt

The samples were received in good condition and no anomalies were noted during check-in.

III. Analytical Results/Methodology

The analytical results for this report are presented by laboratory sample ID. Each set of data includes sample identification information, analytical results and the appropriate associated statistical errors.

The requested analyses were:

Alpha Spectroscopy
Uranium 234, 235 and 238 by method RICH-RC-5039
Neptunium-237 by method RICH-RC-5009
Gas Proportional Counting
Gross Alpha by method RICH-RC-5014
Gross Beta by method RICH-RC-5014
Strontium-90 by method RICH-RC-5006
Gamma Spectroscopy
Gamma Spec (LL) by method RICH-RC-5017
Iodine-129 (LL) by method RICH-RC-5025
Liquid Scintillation Counting
Selenium-79 by method RICH-RC-5043
Carbon-14 by method RICH-RC-5022
Laser Induced Phosphorimetry
Total Uranium by method RICH-RC-5058
Chemical Analysis
Hexavalent Chromium by EPA method 7196A

IV. Quality Control

The analytical results for each analysis performed includes a minimum of one laboratory control sample (LCS), one method (reagent) blank, and one duplicate sample analysis. Any exceptions have been noted in the "Comments" section.

QC and sample results are reported in the same units.

V. Comments

Alpha Spectroscopy

Uranium 234, 235 and 238 by method RICH-RC-5039:
The LCS, batch blank, sample and sample duplicate (B1V9W2) results are within contractual requirements.

Neptunium-237 by method RICH-RC-5009:
The LCS, batch blank, sample and sample duplicate (B1V9W3) results are within contractual requirements.

Gas Proportional Counting

Gross Alpha by method RICH-RC-5014:
Samples B1TKC2, B1RTP0 and B1TKC2 DUP were analyzed with reduce aliquots based on weight screens. Except as noted, the LCS, batch blank, samples and sample duplicate (B1TKC2) results are within contractual requirements.

Gross Beta by method RICH-RC-5014:
The LCS, batch blank, samples and sample duplicate (B1RTP0) results are within contractual requirements.

Strontium-90 by method RICH-RC-5006
The LCS, batch blank, samples and sample duplicate (B1RTP0) results are within contractual requirements.

Gamma Spectroscopy

Gamma Spec (LL) by method RICH-RC-5017:
The LCS, batch blank, samples and sample duplicate (B1V9T9) results are within contractual requirements.

Iodine-129 (LL) by method RICH-RC-5025:
The LCS, batch blank, samples and sample duplicate (B1V6L4) results are within contractual requirements.

Fluor Hanford
July 21, 2008

Liquid Scintillation Counting

Selenium-79 by method RICH-RC-5043:

Sample B1V9T9 had a low tracer yield and the CRDL was not met on the first analysis. Sample B1V9T9 was reanalyzed with acceptable results.

There is no LCS for selenium-79. Except as noted, the batch blank, samples and sample duplicate (B1V9W2) results are within contractual requirements.

Carbon-14 by method RICH-RC-5022:

The LCS, batch blank, samples and sample duplicate (B1V9W3) results are within contractual requirements.

Total Uranium

Total Uranium by method RICH-RC-5058:

The LCS, batch blank, samples, sample duplicate (B1TKC2), and sample matrix spike (B1TKC2) results are within contractual requirements.

Chemical Analysis

Hexavalent Chromium by EPA method 7196A

Batch 8151262

The LCS, batch blank, samples, sample duplicate (B1V608), sample matrix spike (B1V608), and matrix spike duplicate (B1V608) results are within contractual requirements.

Batch 8154426

The LCS, batch blank, samples, sample duplicate (B1V5L1), sample matrix spike (B1V5L1), and matrix spike duplicate (B1V5L1) results are within contractual requirements.

Batch 8155503

The LCS, batch blank, samples, sample duplicate (B1V6Y4), sample matrix spike (B1V6Y4), and matrix spike duplicate (B1V6Y4) results are within contractual requirements.

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the following signature.

Reviewed and approved:

Sandra Seger
Project Manager

Drinking Water Method Cross References

	DRINKING WATER ASTM METHOD CROSS REFERENCES	
Referenced Method	**Isotope(s)**	**TestAmerica Richland's SOP No.**
EPA 901.1	Cs-134, I-131	RICH-RC-5017
EPA 900.0	Alpha & Beta	RICH-RC-5014
EPA 00-02	Gross Alpha (Coprecipitation)	RICH-RC-5021
EPA 903.0	Total Alpha Radium (Ra-226)	RICH-RC-5027
EPA 903.1	Ra-226	RICH-RC-5005
EPA 904.0	Ra-228	RICH-RC-5005
EPA 905.0	Sr-89/90	RICH-RC-5006
ASTM D5174	Uranium	RICH-RC-5058
EPA 906.0	Tritium	RICH-RC-5007

Results in this report relate only to the sample(s) analyzed.

Uncertainty Estimation

TestAmerica Richland has adopted the internationally accepted approach to estimating uncertainties described in "NIST Technical Note 1297, 1994 Edition". The approach, "Law of Propagation of Errors", involves the identification of all variables in an analytical method which are used to derive a result. These variables are related to the analytical result (R) by some functional relationship, R = constants * f(x,y,z,...). The components (x,y,z) are evaluated to determine their contribution to the overall method uncertainty. The individual component uncertainties (u_i) are then combined using a statistical model that provides the most probable overall uncertainty value. All component uncertainties are categorized as type A, evaluated by statistical methods, or type B, evaluated by other means. Uncertainties not included in the components, such as sample homogeneity, are combined with the component uncertainty as the square root of the sum-of-the-squares of the individual uncertainties. The uncertainty associated with the derived result is the combined uncertainty (u_c) multiplied by the coverage factor (1,2, or 3).

When three or more sample replicates are used to derive the analytical result, the type A uncertainty is the standard deviation of the mean value (S/?n), where S is the standard deviation of the derived results. The type B uncertainties are all other random or non-random components that are not included in the standard deviation.

The derivation of the general "Law of Propagation of Errors" equations and specific example are available on request.

Report Definitions

Action Lev	An agreed upon activity level used to trigger some action when the final result is greater than or equal to the Action Level. Often the Action Level is related to the Decision Limit.
Batch	The QC preparation batch number that relates laboratory samples to QC samples that were prepared and analyzed together.
Bias	Defined by the equation (Result/Expected)-1 as defined by ANSI N13.30.
COC No	Chain of Custody Number assigned by the Client or TestAmerica.
Count Error (#s)	Poisson counting statistics of the gross sample count and background. The uncertainty is absolute and in the same units as the result. For Liquid Scintillation Counting (LSC) the batch blank count is the background.
Total Uncert (#s) *u_c - Combined Uncertainty.*	All known uncertainties associated with the preparation and analysis of the sample are propagated to give a measure of the uncertainty associated with the result, *u_c the combined uncertainty.* The uncertainty is absolute and in the same units as the result.
(#s), Coverage Factor	The coverage factor defines the width of the confidence interval, 1, 2 or 3 standard deviations.
CRDL (RL)	Contractual Required Detection Limit as defined in the Client's Statement Of Work or TestAmerica "default" nominal detection limit. Often referred to the reporting level (RL)
Lc	Decision Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume associated with the sample. The Type I error probability is approximately 5%. Lc=(1.645 * Sqrt(2*(BkgrndCnt/BkgrndCntMin)/SCntMin)) * (ConvFct/(Eff*Yld*Abn*Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability. Lc cannot be calculated when the background count is zero.
Lot-Sample No	The number assigned by the LIMS software to track samples received on the same day for a given client. The sample number is a sequential number assigned to each sample in the Lot.
MDC|MDA	Detection Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume with a Type I and II error probability of approximately 5%. MDC = (4.65 * Sqrt((BkgrndCnt/BkgrndCntMin)/SCntMin) + 2.71/SCntMin) * (ConvFct/(Eff * Yld * Abn * Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability.
Primary Detector	The instrument identifier associated with the analysis of the sample aliquot.
Ratio U-234/U-238	The U-234 result divided by the U-238 result. The U-234/U-238 ratio for natural uranium in NIST SRM 4321C is 1.038.
Rst/MDC	Ratio of the Result to the MDC. A value greater than 1 may indicate activity above background at a high level of confidence. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Rst/TotUcert	Ratio of the Result to the Total Uncertainty. If the uncertainty has a coverage factor of 2 a value greater than 1 may indicate activity above background at approximately the 95% level of confidence assuming a two-sided confidence interval. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Report DB No	Sample Identifier used by the report system. The number is based upon the first five digits of the **Work Order** Number.
RER	The equation Replicate Error Ratio = (S-D)/[sqrt($TPUs^2$ + $TPUd^2$)] as defined by ICPT BOA where S is the original sample result, D is the result of the duplicate, TPUs is the total uncertainty of the original sample and TPUd is the total uncertainty of the duplicate sample.
SDG	Sample Delivery Group Number assigned by the Client or assigned by TestAmerica upon sample receipt.
Sum Rpt Alpha Spec Rst(s)	The sum of the reported alpha spec results for tests derived from the same sample excluding duplicate result where the results are in the same units.
Work Order	The LIMS software assign test specific identifier.
Yield	The recovery of the tracer added to the sample such as Pu-242 used to trace a Pu-239/40 method.

7/21/2008 9:40:57 AM

TestAmerica Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **Version:** 05 **Rpt Nbr:** 39536 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KN1HA10	B1V845		MW6-SBB-A1	W08-005	W05419					05/27/2008 14:01

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	1.73E-01	pCi/L	1.6E-01	1.6E-01	U	3.28E-01	91.4	I129LL_SEP_LEPS	3.8937E+00	L	07/02/2008 18:16	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KN1HP10	B1V6B1		MW6-SBB-A1	I08-038	W05419					05/27/2008 12:10

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	1.17E-01	pCi/L	1.6E-01	1.6E-01	U	3.14E-01	91.9	I129LL_SEP_LEPS	3.7568E+00	L	07/02/2008 18:18	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KN1HQ10	B1V6B2		MW6-SBB-A1	I08-038	W05419					05/27/2008 12:10

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	2.16E-01	pCi/L	1.6E-01	1.6E-01	U	3.34E-01	93.2	I129LL_SEP_LEPS	3.7843E+00	L	07/02/2008 18:18	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KN1JT10	B1V9W2		MW6-SBB-A1	I08-037	W05419					05/27/2008 09:57

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164624	C-14	14762-75-5	5.32E+00	pCi/L	3.6E+00	4.3E+00	U	8.18E+00	100.0	C14_LSC	2.00E-01	L	06/23/2008 22:15	I
8164617	BE-7	13966-02-4	-1.94E+00	pCi/L	1.6E+01	1.6E+01	U	2.82E+01		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164617	CO-60	10198-40-0	8.96E-02	pCi/L	1.2E+00	1.2E+00	U	2.35E+00		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164617	CS-134	13967-70-9	4.47E-01	pCi/L	1.6E+00	1.6E+00	U	2.99E+00		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164617	CS-137	10045-97-3	-8.00E-01	pCi/L	1.6E+00	1.6E+00	U	2.78E+00		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164617	EU-152	14683-23-9	-1.31E-01	pCi/L	4.1E+00	4.1E+00	U	7.01E+00		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164617	EU-154	15585-10-1	6.28E-01	pCi/L	4.0E+00	4.0E+00	U	7.81E+00		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164617	EU-155	14391-16-3	-2.96E-01	pCi/L	3.1E+00	3.1E+00	U	5.37E+00		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164617	K-40	13966-00-2	1.28E+01	pCi/L	3.4E+01	3.4E+01	U	3.05E+01		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164617	RU-106	13967-48-1	-5.62E+00	pCi/L	1.3E+01	1.3E+01	U	2.17E+01		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164617	SB-125	14234-35-6	7.77E-01	pCi/L	4.2E+00	4.2E+00	U	7.48E+00		GAMMALL_GS	2.00E+00	L	06/20/2008 07:42	I
8164618	I-129L	15046-84-1	5.52E-01	pCi/L	3.2E-01	3.2E-01	U	4.14E-01	91.4	I129LL_SEP_LEPS	3.8579E+00	L	07/02/2008 20:01	I
8164622	NP-237	13994-20-2	4.16E-02	pCi/L	8.5E-02	8.5E-02	U	1.99E-01	88.4	NP237_LLE_PLAT	2.00E-01	L	06/26/2008 20:06	I
8164621	Se-79	15758-45-9	1.66E+00	pCi/L	4.7E+00	9.3E+00	U	1.12E+01	81.2	SE79_SEP_IE_LS	2.00E-01	L	07/03/2008 18:15	I
8164623	U-234	13966-29-5	1.19E+00	pCi/L	3.8E-01	4.2E-01		1.42E-01	99.3	UISO_PLATE_AEA	2.0001E-01	L	06/20/2008 15:03	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

8164623	U-235	15117-96-1	-1.19E-02	pCi/L	6.2E-02	6.2E-02	U	1.68E-01	99.3	UISO_PLATE_AEA	2.0001E-01	L	06/20/2008	15:03 I
8164623	U-238	U-238	7.55E-01	pCi/L	3.0E-01	3.3E-01		1.88E-01	99.3	UISO_PLATE_AEA	2.0001E-01	L	06/20/2008	15:03 I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KN1JX10	B1V9W3		MW6-SBB-A1	I08-037	W05419					05/27/2008 11:13

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164624	C-14	14762-75-5	-1.46E+00	pCi/L	3.3E+00	4.0E+00	U	8.18E+00	100.0	C14_LSC	2.00E-01	L	06/23/2008 22:57	I
8164617	BE-7	13966-02-4	-6.66E+00	pCi/L	1.6E+01	1.6E+01	U	2.62E+01		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164617	CO-60	10198-40-0	-4.30E-01	pCi/L	1.8E+00	1.8E+00	U	3.26E+00		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164617	CS-134	13967-70-9	-6.93E-01	pCi/L	1.8E+00	1.8E+00	U	3.09E+00		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164617	CS-137	10045-97-3	9.42E-01	pCi/L	1.9E+00	1.9E+00	U	3.47E+00		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164617	EU-152	14683-23-9	2.62E+00	pCi/L	4.4E+00	4.4E+00	U	8.11E+00		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164617	EU-154	15585-10-1	-2.09E+00	pCi/L	5.1E+00	5.1E+00	U	8.86E+00		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164617	EU-155	14391-16-3	-2.63E+00	pCi/L	2.9E+00	2.9E+00	U	4.67E+00		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164617	K-40	13966-00-2	-2.17E+01	pCi/L	4.2E+01	4.2E+01	U	8.20E+01		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164617	RU-106	13967-48-1	-7.78E+00	pCi/L	1.4E+01	1.4E+01	U	2.36E+01		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164617	SB-125	14234-35-6	-9.66E-02	pCi/L	3.9E+00	3.9E+00	U	6.88E+00		GAMMALL_GS	2.0001E+00	L	06/20/2008 07:42	I
8164618	I-129L	15046-84-1	-6.73E-04	pCi/L	1.4E-01	1.4E-01	U	2.62E-01	93.8	I129LL_SEP_LEPS	3.8846E+00	L	07/02/2008 20:03	I
8164622	NP-237	13994-20-2	0.00E+00	pCi/L	7.1E-02	7.1E-02	U	1.66E-01	90.1	NP237_LLE_PLAT	2.00E-01	L	06/26/2008 20:06	I
8164621	Se-79	15758-45-9	-1.14E+00	pCi/L	4.5E+00	8.8E+00	U	1.09E+01	83.5	SE79_SEP_IE_LS	1.999E-01	L	07/03/2008 20:00	I
8164623	U-234	13966-29-5	1.04E+00	pCi/L	3.6E-01	4.0E-01		2.34E-01	100.2	UISO_PLATE_AEA	2.0003E-01	L	06/20/2008 15:03	I
8164623	U-235	15117-96-1	6.59E-02	pCi/L	1.1E-01	1.1E-01	U	2.06E-01	100.2	UISO_PLATE_AEA	2.0003E-01	L	06/20/2008 15:03	I
8164623	U-238	U-238	5.45E-01	pCi/L	2.7E-01	2.8E-01		2.68E-01	100.2	UISO_PLATE_AEA	2.0003E-01	L	06/20/2008 15:03	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KN1KG10	B1V680		MW6-SBB-A1	I08-037	W05419					05/27/2008 13:18

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	3.14E-02	pCi/L	1.2E-01	1.2E-01	U	2.36E-01	91.9	I129LL_SEP_LEPS	3.8818E+00	L	07/02/2008 20:03	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KN1KP10	B1V679		MW6-SBB-A1	I08-037	W05419					05/27/2008 13:18

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	4.55E+00	pCi/L	7.1E-01	7.1E-01		3.31E-01	91.1	I129LL_SEP_LEPS	3.8927E+00	L	07/02/2008 21:56	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TestAmerica Report

FormNbr: R FormatType: FEAD Version: 05 Rpt Nbr: 39536 File Name: h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KN1KX10	B1V687		MW6-SBB-A1	I08-037	W05419					05/27/2008 14:40

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	-5.14E-02	pCi/L	1.4E-01	1.4E-01	U	2.40E-01	94.9	I129LL_SEP_LEPS	3.8816E+00	L	07/02/2008 21:58	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KNTW610	B1V6L0		MW6-SBB-A1	I08-038	W05419					05/20/2008 12:50

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	-1.75E-02	pCi/L	1.5E-01	1.5E-01	U	2.68E-01	92.2	I129LL_SEP_LEPS	3.8526E+00	L	07/02/2008 16:27	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KNTWQ10	B1V6L4		MW6-SBB-A1	I08-038	W05419					05/20/2008 13:22

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	1.55E-01	pCi/L	1.5E-01	1.5E-01	U	3.05E-01	99.5	I129LL_SEP_LEPS	3.8645E+00	L	07/02/2008 16:27	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KPA6010	B1V6F5		MW6-SBB-A1	I08-038	W05419					06/02/2008 09:49

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	9.78E-02	pCi/L	1.1E-01	1.1E-01	U	2.32E-01	95.7	I129LL_SEP_LEPS	3.901E+00	L	07/02/2008 21:58	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KPA6410	B1V6F6		MW6-SBB-A1	I08-038	W05419					06/02/2008 08:00

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	-4.94E-02	pCi/L	1.5E-01	1.5E-01	U	2.71E-01	94.3	I129LL_SEP_LEPS	3.868E+00	L	07/03/2008 05:11	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KPA7M10	B1V829		MW6-SBB-A1	W08-005	W05419					06/03/2008 12:56

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164618	I-129L	15046-84-1	4.90E-01	pCi/L	2.9E-01	2.9E-01	U	3.66E-01	93.2	I129LL_SEP_LEPS	3.9115E+00	L	07/03/2008 05:12	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KPEV310	B1V9T9		MW6-SBB-A1	I08-037	W05419					06/04/2008 09:30

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164624	C-14	14762-75-5	2.92E+00	pCi/L	3.5E+00	4.2E+00	U	8.18E+00	100.0	C14_LSC	2.00E-01	L	06/24/2008 00:23	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

8164617	BE-7	13966-02-4	7.60E+00	pCi/L	9.0E+00	9.0E+00	U	1.72E+01		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164617	CO-60	10198-40-0	7.65E-01	pCi/L	1.3E+00	1.3E+00	U	2.57E+00		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164617	CS-134	13967-70-9	-9.17E-02	pCi/L	1.2E+00	1.2E+00	U	2.11E+00		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164617	CS-137	10045-97-3	1.60E-02	pCi/L	1.1E+00	1.1E+00	U	1.92E+00		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164617	EU-152	14683-23-9	-4.15E-01	pCi/L	2.6E+00	2.6E+00	U	4.56E+00		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164617	EU-154	15585-10-1	3.10E-01	pCi/L	3.2E+00	3.2E+00	U	6.03E+00		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164617	EU-155	14391-16-3	1.21E+00	pCi/L	2.5E+00	2.5E+00	U	4.59E+00		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164617	K-40	13966-00-2	-1.17E+01	pCi/L	2.5E+01	2.5E+01	U	4.86E+01		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164617	RU-106	13967-48-1	4.23E+00	pCi/L	9.9E+00	9.9E+00	U	1.85E+01		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164617	SB-125	14234-35-6	-9.73E-01	pCi/L	2.6E+00	2.6E+00	U	4.51E+00		GAMMALL_GS	1.951E+00	L	06/20/2008	07:43 I
8164618	I-129L	15046-84-1	3.19E-01	pCi/L	1.9E-01	1.9E-01	U	3.92E-01	93.0	I129LL_SEP_LEPS	3.8632E+00	L	07/03/2008	05:13 I
8164622	NP-237	13994-20-2	0.00E+00	pCi/L	8.7E-02	8.7E-02	U	2.04E-01	87.0	NP237_LLE_PLAT	2.002E-01	L	06/26/2008	20:07 I
8164623	U-234	13966-29-5	7.48E-01	pCi/L	3.1E-01	3.4E-01		2.78E-01	102.9	UISO_PLATE_AEA	2.0003E-01	L	06/20/2008	15:03 I
8164623	U-235	15117-96-1	1.14E-01	pCi/L	1.2E-01	1.2E-01	U	1.43E-01	102.9	UISO_PLATE_AEA	2.0003E-01	L	06/20/2008	15:03 I
8164623	U-238	U-238	4.01E-01	pCi/L	2.2E-01	2.3E-01		1.89E-01	102.9	UISO_PLATE_AEA	2.0003E-01	L	06/20/2008	15:03 I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KPEV320	B1V9T9		MW6-SBB-A1	I08-037	W05419					06/04/2008 09:30

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8192442	Se-79	15758-45-9	-3.14E+00	pCi/L	4.7E+00	9.1E+00	U	1.18E+01	75.2	SE79_SEP_IE_LS	2.00E-01	L	07/17/2008 01:06	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KPEVW10	B1TKC2		MW6-SBB-A1	S08-003	W05419					06/04/2008 13:19

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164615	ALPHA	12587-46-1	5.93E+00	pCi/L	1.8E+00	2.3E+00		1.70E+00	100.0	9310_ALPHABETA	1.429E-01	L	06/26/2008 15:16	I
8164616	BETA	12587-47-2	1.43E+01	pCi/L	2.2E+00	3.0E+00		2.89E+00	100.0	9310_ALPHABETA	2.001E-01	L	06/26/2008 19:08	I
8164620	Uranium	7440-61-1	1.23E+01	ug/L	1.4E+00	1.4E+00		8.35E-02		UTOT_KPA	2.51E-02	ML	07/15/2008 15:39	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9KPEX610	B1RTP0		MW6-SBB-A1	S08-001	W05419					06/04/2008 11:17

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
8164615	ALPHA	12587-46-1	5.79E-01	pCi/L	7.6E-01	7.6E-01	U	1.33E+00	100.0	9310_ALPHABETA	1.668E-01	L	06/26/2008 14:51	I
8164616	BETA	12587-47-2	5.67E+00	pCi/L	1.7E+00	1.8E+00		2.91E+00	100.0	9310_ALPHABETA	2.003E-01	L	06/26/2008 19:08	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TESTAMERICA

12

8164617	BE-7	13966-02-4	2.04E+00	pCi/L	1.4E+01	1.4E+01	U	2.60E+01		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164617	CO-60	10198-40-0	-1.08E+00	pCi/L	1.6E+00	1.6E+00	U	2.73E+00		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164617	CS-134	13967-70-9	2.01E-01	pCi/L	1.6E+00	1.6E+00	U	2.95E+00		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164617	CS-137	10045-97-3	-1.82E-01	pCi/L	1.5E+00	1.5E+00	U	2.69E+00		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164617	EU-152	14683-23-9	-8.23E-01	pCi/L	3.9E+00	3.9E+00	U	6.71E+00		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164617	EU-154	15585-10-1	-3.30E+00	pCi/L	4.5E+00	4.5E+00	U	7.33E+00		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164617	EU-155	14391-16-3	-2.18E+00	pCi/L	3.2E+00	3.2E+00	U	5.07E+00		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164617	K-40	13966-00-2	4.03E+01	pCi/L	3.7E+01	3.7E+01		2.66E+01		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164617	RU-106	13967-48-1	-7.01E-01	pCi/L	1.3E+01	1.3E+01	U	2.39E+01		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164617	SB-125	14234-35-6	2.13E+00	pCi/L	3.9E+00	3.9E+00	U	7.31E+00		GAMMALL_GS	2.0009E+00	L	06/20/2008	07:44 I
8164618	I-129L	15046-84-1	3.12E-01	pCi/L	1.5E-01	1.5E-01	U	3.34E-01	93.8	I129LL_SEP_LEPS	3.8938E+00	L	07/03/2008	06:57 I
8164619	SR-90	10098-97-2	3.21E-01	pCi/L	3.1E-01	3.3E-01	U	6.72E-01	84.2	SRISO_SEP_PRE	1.0001E+00	L	07/03/2008	05:39 I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM01AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 11:17
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BC	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164619	SR-90	4.16E-02	pCi/L	2.1E-01	U	4.47E-01	87.4		SRISO_SEP_P	1.0007E+00	07/03/2008				D
BLK	10098-97-2			2.1E-01						L	05:39				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM11AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 13:19
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BE	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164620	Uranium	0.00E+00	ug/L	0.0E+00	U	8.35E-02			UTOT_KPA	2.51E-02	07/15/2008				D
BLK	7440-61-1			0.0E+00						ML	15:23				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM21AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 09:57
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BH	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164621	Se-79	-2.57E+00	pCi/L	8.5E+00	U	1.07E+01	85.2		SE79_SEP_IE	2.002E-01	07/03/2008				D
BLK	15758-45-9			4.3E+00						L	21:46				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM31AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 11:13
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	**BLK**		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BI	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164622	NP-237	0.00E+00	pCi/L	7.4E-02	U	1.73E-01	86.6		NP237_LLE_P	2.001E-01	06/26/2008				D
BLK	13994-20-2			7.4E-02						L	20:07				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TESTAMERICA

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM41AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 09:57
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BK	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164623	U-234	-5.72E-03	pCi/L	6.4E-02	U	2.23E-01	95.4		UISO_PLATE_	2.0004E-01	06/20/2008				D
BLK	13966-29-5			6.4E-02						L	15:04				
8164623	U-235	-1.14E-02	pCi/L	5.9E-02	U	1.61E-01	95.4		UISO_PLATE_	2.0004E-01	06/20/2008				D
BLK	15117-96-1			5.9E-02						L	15:04				
8164623	U-238	5.14E-02	pCi/L	1.0E-01	U	2.23E-01	95.4		UISO_PLATE_	2.0004E-01	06/20/2008				D
BLK	U-238			1.0E-01						L	15:04				

18

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM51AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 11:13
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BM	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164624	C-14	2.42E+00	pCi/L	4.1E+00	U	8.18E+00	100.0		C14_LSC	2.00E-01	06/23/2008				D
BLK	14762-75-5			3.5E+00						L	20:49				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TESTAMERICA

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVMT1AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 13:19
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BO	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164615	ALPHA	-9.34E-02	pCi/L	1.2E-01	U	4.65E-01	100.0		9310_ALPHAB	2.002E-01	06/26/2008				D
BLK	12587-46-1			1.2E-01						L	16:27				

20

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVMV1AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 11:17
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BQ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164616	BETA	5.44E-01	pCi/L	1.0E+00	U	2.22E+00	100.0		9310_ALPHAB	2.002E-01	06/26/2008				D
BLK	12587-47-2			1.0E+00						L	19:09				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id: KPVMW1AB **Sdg/Rept Nbr:** W05419 39536 **Collection Date:** 06/04/2008 09:30

Client Id: NA **Matrix:** WATER WATER **Sample On Date:**

Moisture/Solids%*: **QC Type:** BLK **Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BS	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164617	BE-7	-4.19E+00	pCi/L	1.2E+01	U	2.03E+01			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	13966-02-4			1.2E+01						L	07:45				
8164617	CO-60	-6.44E-01	pCi/L	1.3E+00	U	2.18E+00			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	10198-40-0			1.3E+00						L	07:45				
8164617	CS-134	-1.06E+00	pCi/L	1.4E+00	U	2.28E+00			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	13967-70-9			1.4E+00						L	07:45				
8164617	CS-137	-5.84E-01	pCi/L	1.3E+00	U	2.25E+00			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	10045-97-3			1.3E+00						L	07:45				
8164617	EU-152	7.03E-01	pCi/L	3.5E+00	U	6.12E+00			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	14683-23-9			3.5E+00						L	07:45				
8164617	EU-154	-3.66E+00	pCi/L	3.5E+00	U	5.51E+00			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	15585-10-1			3.5E+00						L	07:45				
8164617	EU-155	-5.77E-01	pCi/L	2.8E+00	U	4.83E+00			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	14391-16-3			2.8E+00						L	07:45				
8164617	K-40	-2.87E+01	pCi/L	2.0E+01	U	3.54E+01			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	13966-00-2			2.0E+01						L	07:45				
8164617	RU-106	-9.28E+00	pCi/L	1.1E+01	U	1.80E+01			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	13967-48-1			1.1E+01						L	07:45				
8164617	SB-125	5.77E-01	pCi/L	3.3E+00	U	5.87E+00			GAMMALL_GS	2.00E+00	06/20/2008				D
BLK	14234-35-6			3.3E+00						L	07:45				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TESTAMERICA

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVMX1AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/20/2008 13:22
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 05/23/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BU	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164618	I-129L	-3.21E-02	pCi/L	1.5E-01	U	2.69E-01	92.2		I129LL_SEP_L	3.9668E+00	07/03/2008				D
BLK	15046-84-1			1.5E-01						L	06:58				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TESTAMERICA

Monday, July 21, 2008

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KRCQM1AB	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 09:30
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BW	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8192442	Se-79	-1.22E-01	pCi/L	7.3E+00	U	9.13E+00	96.8		SE79_SEP_IE	2.002E-01	07/17/2008				D
BLK	15758-45-9			3.8E+00						L	01:59				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id: KPVM01CS **Sdg/Rept Nbr:** W05419 39536 **Collection Date:** 06/04/2008 11:17

Client Id: NA **Matrix:** WATER WATER **Sample On Date:**

Moisture/Solids%*: **QC Type:** BS **Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BD	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164619	SR-90	1.37E+01	pCi/L	2.1E+00		5.68E-01	86.6	1.34E+01	SRISO_SEP_P	1.00E+00	07/03/2008			70	D
BS	10098-97-2			6.8E-01				102.4		L	05:39			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM11CS	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 13:19
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	**BS**		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BF	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164620	Uranium	3.44E+01	ug/L	4.1E+00		8.32E-02		3.58E+01	UTOT_KPA	2.52E-02	07/15/2008			70	D
BS	7440-61-1			4.1E+00				96.1		ML	15:29			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM11DS	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 13:19
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BG	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164620	Uranium	3.17E+00	ug/L	3.2E-01		8.32E-02		3.60E+00	UTOT_KPA	2.52E-02	07/15/2008			70	D
BS	7440-61-1			3.2E-01				88.0		ML	15:36			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM31CS	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 11:13
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BJ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164622	NP-237	1.07E+01	pCi/L	2.3E+00		2.35E-01	78.2	9.38E+00	NP237_LLE_P	2.00E-01	06/26/2008			70	D
BS	13994-20-2			1.4E+00				114.1		L	20:07			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM41CS	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 09:57
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BL	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164623	U-234	8.60E+00	pCi/L	1.7E+00		1.42E-01	99.5	8.67E+00	UISO_PLATE_	2.0005E-01	06/20/2008			70	D
BS	13966-29-5			1.0E+00				99.2		L	15:05			130	
8164623	U-235	2.01E-01	pCi/L	1.6E-01		1.42E-01	99.5	3.96E-01	UISO_PLATE_	2.0005E-01	06/20/2008			70	D
BS	15117-96-1			1.6E-01				50.8		L	15:05			130	
8164623	U-238	8.45E+00	pCi/L	1.7E+00		1.42E-01	99.5	9.08E+00	UISO_PLATE_	2.0005E-01	06/20/2008			70	D
BS	U-238			1.0E+00				93.0		L	15:05			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TESTAMERICA

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVM51CS	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 11:13
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BN	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164624	C-14	4.88E+01	pCi/L	5.9E+00		8.18E+00	100.0	4.54E+01	C14_LSC	2.00E-01	06/23/2008			70	D
BS	14762-75-5			4.8E+00				107.4		L	21:32			130	

30

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVMT1CS	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 13:19
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BP	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164615	ALPHA	1.91E+01	pCi/L	4.4E+00		6.33E-01	100.0	2.27E+01	9310_ALPHAB	2.003E-01	06/26/2008			70	D
BS	12587-46-1			2.0E+00				84.3		L	16:27			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVMV1CS	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 11:17
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BR	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164616	BETA	2.44E+01	pCi/L	4.0E+00		2.68E+00	100.0	2.25E+01	9310_ALPHAB	2.003E-01	06/26/2008			70	D
BS	12587-47-2			2.5E+00				108.4		L	19:09			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVMW1CS	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 09:30
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BT	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164617	CO-60	3.99E+01	pCi/L	8.3E+00		3.79E+00		3.77E+01	GAMMALL_GS	2.0007E+00	06/20/2008			70	D
BS	10198-40-0			8.3E+00				105.8		L	07:45			130	
8164617	CS-137	5.46E+01	pCi/L	9.2E+00		4.19E+00		4.95E+01	GAMMALL_GS	2.0007E+00	06/20/2008			70	D
BS	10045-97-3			9.2E+00				110.2		L	07:45			130	
8164617	EU-152	7.69E+01	pCi/L	1.4E+01		8.58E+00		7.53E+01	GAMMALL_GS	2.0007E+00	06/20/2008			70	D
BS	14683-23-9			1.4E+01				102.2		L	07:45			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TESTAMERICA

Monday, July 21, 2008

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPVMX1CS	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/20/2008 13:22
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 05/23/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								BV	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164618	I-129L	9.61E+00	pCi/L	1.3E+00		4.20E-01	84.7	9.72E+00	I129LL_SEP_L	3.9761E+00	07/03/2008			70	D
BS	15046-84-1			1.3E+00				98.9		L	06:58			130	

34

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TESTAMERICA

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KN1JT1HR	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 09:57
Client Id:	B1V9W2	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
I08-037	MW6-SBB-A19981								AR	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164621	Se-79	6.86E+00	pCi/L	9.9E+00	U	1.14E+01	79.9		SE79_SEP_IE	1.999E-01	07/03/2008	122.1	0.7		D
DUP	15758-45-9	1.66E+00		4.9E+00						L	19:07	20.0	3		

35

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KN1JT1JR	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 09:57
Client Id:	B1V9W2	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
I08-037	MW6-SBB-A19981								AS	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164623	U-234	1.24E+00	pCi/L	4.4E-01		1.77E-01	105.7		UISO_PLATE_	2.0001E-01	06/20/2008	4.1	0.2		D
DUP	13966-29-5	1.19E+00		4.0E-01						L	15:03	20.0	3		
8164623	U-235	3.13E-02	pCi/L	6.4E-02	U	1.50E-01	105.7		UISO_PLATE_	2.0001E-01	06/20/2008	445.6	1.		D
DUP	15117-96-1	-1.19E-02		6.4E-02						L	15:03	20.0	3		
8164623	U-238	7.07E-01	pCi/L	3.2E-01		1.77E-01	105.7		UISO_PLATE_	2.0001E-01	06/20/2008	6.6	0.2		D
DUP	U-238	7.55E-01		3.0E-01						L	15:03	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KN1JX1HR	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 11:13
Client Id:	B1V9W3	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
I08-037	MW6-SBB-A19981								AT	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164622	NP-237	0.00E+00	pCi/L	9.1E-02	U	2.13E-01	80.0		NP237_LLE_P	1.999E-01	06/26/2008	0.0	0.		D
DUP	13994-20-2	0.00E+00		9.1E-02						L	20:06	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KN1JX1JR	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/27/2008 11:13
Client Id:	B1V9W3	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 05/28/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
I08-037	MW6-SBB-A19981								AU	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164624	C-14	1.62E+00	pCi/L	4.1E+00	U	8.18E+00	100.0		C14_LSC	2.00E-01	06/23/2008	3818.4	1.1		D
DUP	14762-75-5	-1.46E+00		3.4E+00						L	23:40	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KNTWQ1CR	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 05/20/2008 13:22
Client Id:	B1V6L4	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 05/23/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
I08-038	MW6-SBB-A19981								AV	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164618	I-129L	1.81E-01	pCi/L	1.4E-01	U	2.95E-01	95.1		I129LL_SEP_L	3.8637E+00	07/02/2008	15.5	0.3		D
DUP	15046-84-1	1.55E-01		1.4E-01						L	16:27	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPEV31HR	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 09:30
Client Id:	B1V9T9	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
I08-037	MW6-SBB-A19981								AW	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164617	BE-7	7.39E+00	pCi/L	2.0E+01	U	3.54E+01			GAMMALL_GS	1.9497E+00	06/20/2008	2.7	0.		D
DUP	13966-02-4	7.60E+00		2.0E+01						L	07:44	20.0	3		
8164617	CO-60	-5.11E-01	pCi/L	1.7E+00	U	3.15E+00			GAMMALL_GS	1.9497E+00	06/20/2008	1005.3	1.		D
DUP	10198-40-0	7.65E-01		1.7E+00						L	07:44	20.0	3		
8164617	CS-134	7.99E-01	pCi/L	2.2E+00	U	4.08E+00			GAMMALL_GS	1.9497E+00	06/20/2008	251.9	0.6		D
DUP	13967-70-9	-9.17E-02		2.2E+00						L	07:44	20.0	3		
8164617	CS-137	1.83E+00	pCi/L	2.2E+00	U	4.14E+00			GAMMALL_GS	1.9497E+00	06/20/2008	196.5	1.2		D
DUP	10045-97-3	1.60E-02		2.2E+00						L	07:44	20.0	3		
8164617	EU-152	3.40E+00	pCi/L	5.8E+00	U	1.04E+01			GAMMALL_GS	1.9497E+00	06/20/2008	255.6	0.9		D
DUP	14683-23-9	-4.15E-01		5.8E+00						L	07:44	20.0	3		
8164617	EU-154	1.37E+00	pCi/L	6.2E+00	U	1.17E+01			GAMMALL_GS	1.9497E+00	06/20/2008	126.2	0.2		D
DUP	15585-10-1	3.10E-01		6.2E+00						L	07:44	20.0	3		
8164617	EU-155	-5.13E-01	pCi/L	4.3E+00	U	7.40E+00			GAMMALL_GS	1.9497E+00	06/20/2008	495.6	0.6		D
DUP	14391-16-3	1.21E+00		4.3E+00						L	07:44	20.0	3		
8164617	K-40	8.04E+00	pCi/L	5.6E+01	U	3.32E+01			GAMMALL_GS	1.9497E+00	06/20/2008	0.0	0.5		D
DUP	13966-00-2	-1.17E+01		5.6E+01						L	07:44	20.0	3		
8164617	RU-106	5.46E+00	pCi/L	1.9E+01	U	3.46E+01			GAMMALL_GS	1.9497E+00	06/20/2008	25.3	0.1		D
DUP	13967-48-1	4.23E+00		1.9E+01						L	07:44	20.0	3		
8164617	SB-125	-1.10E+00	pCi/L	5.4E+00	U	9.26E+00			GAMMALL_GS	1.9497E+00	06/20/2008	0.0	0.		D
DUP	14234-35-6	-9.73E-01		5.4E+00						L	07:44	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPEVW1ER	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 13:19
Client Id:	B1TKC2	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S08-003	MW6-SBB-A19981								AX	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164615	ALPHA	5.92E+00	pCi/L	2.2E+00		1.75E+00	100.0		9310_ALPHAB	1.427E-01	06/26/2008	.0	0.		D
DUP	12587-46-1	5.93E+00		1.8E+00						L	17:35	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPEVW1GR	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 13:19
Client Id:	B1TKC2	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S08-003	MW6-SBB-A19981								AZ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164620	Uranium	1.25E+01	ug/L	1.5E+00		8.35E-02			UTOT_KPA	2.51E-02	07/15/2008	1.8	0.2		D
DUP	7440-61-1	1.23E+01		1.5E+00						ML	15:43	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPEX61GR	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 11:17
Client Id:	B1RTP0	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S08-001	MW6-SBB-A19981								BA	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164616	BETA	6.70E+00	pCi/L	1.9E+00		2.81E+00	100.0		9310_ALPHAB	2.002E-01	06/26/2008	16.6	0.8		D
DUP	12587-47-2	5.67E+00		1.7E+00						L	19:09	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPEX61HR	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 11:17
Client Id:	B1RTP0	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S08-001	MW6-SBB-A19981								BB	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164619	SR-90	2.56E-01	pCi/L	2.8E-01	U	5.76E-01	85.8		SRISO_SEP_P	1.0002E+00	07/03/2008	22.5	0.3		D
DUP	10098-97-2	3.21E-01		2.8E-01						L	05:39	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Monday, July 21, 2008

TestAmerica Qc Matrix Spike Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05419.Edd, h:\Reportdb\edd\FeadIV\Rad\39536.Edd

Lab Sample Id:	KPEVW1FW	**Sdg/Rept Nbr:**	W05419	39536	**Collection Date:** 06/04/2008 13:19
Client Id:	B1TKC2	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	**MS**		**Received Date:** 06/04/2008

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
S08-003	MW6-SBB-A19981								AY	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
8164620	Uranium	4.62E+01	ug/L	5.5E+00		8.38E-02		3.61E+01	UTOT_KPA	2.50E-02	07/15/2008			60	D
MS	7440-61-1			5.5E+00				128.1		ML	15:41			140	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TestAmerica

TA Richland
Hexavalent Chromium - Water

Analyst:	L. Dinh	Calibration Curve Information				SOP Information		BATCH #	8151262
Start Date:	5/29/2008		Amount	Conc.(mg/L)	ABS.	RICH-WC-5003		SDG #	W05419
Start Time:		Blank	0.000	0.000	0.000	Revision 7		Matrix	Water
End Date:	5/29/2008	Std. 1	0.100	0.050	0.100				
End Time		Std. 2	0.500	0.250	0.480			Instrument Information	
		Std. 3	0.750	0.375	0.718	MDL (mg/L)	0.002	Instrument:	Hach DR2010
Analyst Signature:		Std. 4	1.500	0.750	1.412			Wavelength:	540
		Std 5	2.000	1.000	1.869			R Squared	0.99991
Date:	5/30/08	Standard Volume (mL):			100.000			Slope:	1.86743
		Date of Curve:			5/29/2008			Intercept:	0.00842

	Calibration Information:	ICV Information:		LCS Information:		Matrix Spike Information:	
Dilution ID #	Cr-08-00111	Cr-08-00112		Cr-08-00111		Cr-08-00111	
Prep Date:	05/29/08	05/29/08		05/29/08		05/29/08	
Concentration (mg/L)	50	50		50		50	
Expiration Date:	05/30/08	05/30/08		05/30/08		05/30/08	
Pipettor(s)	70,190	190		190		190	
Volume Used (Expected Value		1.000	0.50000	1.00	0.50000	0.50	0.26316

Expected values are only amounts added in mg and not final concentrations

Sample ID	Client ID	Type	Sample Volume (mL)	Sample ABS.	Blank ABS.	Corrected ABS.	Dilution Factor	Curve Conc. (mg/L)	Final Conc. (mg/L)	% Rec.
n/a	n/a	ICV	100.000	0.967	0.000	0.967	1	0.5133	0.513	102.66%
n/a	n/a	ICB	100.000	0.000	0.000	0.000	1	<MDL	<MDL	
KN49G1AA	n/a	Prep Blank	100.000	0.000		0.000	1	<MDL	<MDL	
KN49G1AC	n/a	LCS	100.000	0.951		0.951	1	0.5048	0.505	100.95%
KN3T71AA	B1V608'	Sample	100.000	0.005		0.005	1	-0.0018	<MDL	
KN3T71AC-S	B1V608'-MS	MS	100.000	0.505		0.505	1	0.2659	0.266	101.05%
KN3T71AD-D	B1V608'-MSD	MSD	100.000	0.505		0.505	1	0.2659	0.266	101.05%
KN3T71AE-X	B1V608'-DUP	Duplicate	100.000	0.004		0.004	1	-0.0024	<MDL	
			100.000				1			
			100.000				1			
			100.000				1			
			100.000				1			
n/a	n/a	CCV	100.000	0.966		0.966	1	0.5128	0.513	102.56%
n/a	n/a	CCB	100.000	-0.001		-0.001	1	<MDL	<MDL	
			100.000				1			
			100.000				1			
			100.000				1			
			100.000				1			
			100.000				1			

TESTAMERICA

TestAmerica

TA Richland
Hexavalent Chromium - Water

Analyst:	**L. Dinh**	**Calibration Curve Information**				**SOP Information**		**BATCH #**	**8154426**
Start Date:	6/2/2008		**Amount**	**Conc.(mg/L)**	**ABS.**	RICH-WC-5003		**SDG #**	**W05419**
Start Time:		**Blank**	0.000	0.000	0.000	Revision 7		**Matrix**	**Water**
End Date:	6/2/2008	**Std. 1**	0.100	0.050	0.098				
End Time		**Std. 2**	0.500	0.250	0.475			**Instrument Information**	
		Std. 3	0.750	0.375	0.723	**MDL (mg/L)**	**0.002**	Instrument:	Hach DR2010
Analyst Signature:	Linh Dinh	**Std. 4**	1.500	0.750	1.417			Wavelength:	540
		Std 5	2.000	1.000	1.665			**R Squared**	**0.99983**
Date:	6/3/08	**Standard Volume (mL):**			100.000			**Slope:**	**1.86829**
		Date of Curve:			6/2/2008			**Intercept:**	**0.00790**

	Calibration Information:	**ICV Information:**		**LCS Information:**		**Matrix Spike Information:**	
Dilution ID #	Cr-08-00113	Cr-08-00114		Cr-08-00113		Cr-08-00113	
Prep Date:	06/02/08	06/02/08		06/02/08		06/02/08	
Concentration (mg/L)	50	50		50		50	
Expiration Date:	06/03/08	06/03/08		06/03/08		06/03/08	
Pipettor(s)	70,190	190		190		190	
Volume Used (Expected Value		1.000	0.50000	1.00	0.50000	0.50	0.26316

Expected values are only amounts added in mg and not final concentrations

Sample ID	Client ID	Type	Sample Volume (mL)	Sample ABS.	Blank ABS.	Corrected ABS.	Dilution Factor	Curve Conc. (mg/L)	Final Conc. (mg/L)	% Rec.
n/a	n/a	**ICV**	100.000	0.955	0.000	0.955	1	0.5069	0.507	101.39%
n/a	n/a	**ICB**	100.000	0.000	0.000	0.000	1	<MDL	<MDL	
KN8D11AA	n/a	**Prep Blank**	100.000	0.000		0.000	1	<MDL	<MDL	
KN8D11AC	n/a	**LCS**	100.000	0.955		0.955	1	0.5069	0.507	101.39%
KN78H1AA	B1V5L1'	**Sample**	100.000	0.017		0.017	1	0.0049	0.005	
KN78H1AC-S	B1V5L1'-MS	**MS**	100.000	0.523		0.523	1	0.2757	~~0.276~~ 0.271	102.92%
KN78H1AD-D	B1V5L1'-MSD	**MSD**	100.000	0.522		0.522	1	0.2752	~~0.275~~ 0.270	102.71%
KN78H1AE-X	B1V5L1'-DUP	**Duplicate**	100.000	0.016		0.016	1	0.0043	0.004	SKS 6/3/08
			100.000				1			
			100.000				1			
			100.000				1			
			100.000				1			
n/a	n/a	**CCV**	100.000	0.954		0.954	1	0.5064	0.506	101.28%
n/a	n/a	**CCB**	100.000	-0.001		-0.001	1	<MDL	<MDL	
			100.000				1			
			100.000				1			
			100.000				1			
			100.000				1			
			100.000				1			

TESTAMERICA

TestAmerica

TA Richland
Hexavalent Chromium - Water

Analyst:	**D. Petty**	**Calibration Curve Information**				**SOP Information**		**BATCH #**	**8155303**
Start Date:	6/3/2008		**Amount**	**Conc.(mg/L)**	**ABS.**	RICH-WC-5003		**SDG #**	**W05419**
Start Time:		**Blank**	0.000	0.000	0.000	Revision 7		**Matrix**	**Water**
End Date:	6/3/2008	**Std. 1**	0.100	0.050	0.100				
End Time		**Std. 2**	0.500	0.250	0.495			**Instrument Information**	
		Std. 3	0.750	0.375	0.731	**MDL (mg/L)**	**0.002**	Instrument:	Hach DR2010
Analyst Signature:		**Std. 4**	1.500	0.750	1.439			Wavelength:	540
		Std 5	2.000	1.000	1.886			**R Squared**	**0.99976**
Date:	06/03/08	**Standard Volume (mL):**			100.000			**Slope:**	**1.89023**
		Date of Curve:			6/3/2008			**Intercept:**	**0.01153**

	Calibration Information:	**ICV Information:**		**LCS Information:**		**Matrix Spike Information:**	
Dilution ID #	Cr-08-00115	Cr-08-00116		Cr-08-00115		Cr-08-00115	
Prep Date:	06/03/08	06/03/08		06/03/08		06/03/08	
Concentration (mg/L)	50	50		50		50	
Expiration Date:	06/04/08	06/04/08		06/04/08		06/04/08	
Pipettor(s)	70,190	190		190		190	
Volume Used (Expected Value		1.000	0.50000	1.00	0.50000	0.50	0.26316

Expected values are only amounts added in mg and not final concentrations

Sample ID	Client ID	Type	Sample Volume (mL)	Sample ABS.	Blank ABS.	Corrected ABS.	Dilution Factor	Curve Conc. (mg/L)	Final Conc. (mg/L)	% Rec.
n/a	n/a	**ICV**	100.000	0.982	0.000	0.982	1	0.5134	0.513	102.68%
n/a	n/a	**ICB**	100.000	0.000	0.000	0.000	1	<MDL	<MDL	
KPAKX1AA	n/a	**Prep Blank**	100.000	0.000		0.000	1	<MDL	<MDL	
KPAKX1AC	n/a	**LCS**	100.000	0.972		0.972	1	0.5081	0.508	101.62%
KPAJ71AA	B1V6Y4'	**Sample**	100.000	0.004		0.004	1	-0.0040	<MDL	
KPAJ71AC-S	B1V6Y4'-MS	**MS**	100.000	0.515		0.515	1	0.2664	0.266	101.21%
KPAJ71AD-D	B1V6Y4'-MSD	**MSD**	100.000	0.513		0.513	1	0.2653	0.265	100.81%
KPAJ71AE-X	B1V6Y4'-DUP	**Duplicate**	100.000	0.003		0.003	1	-0.0045	<MDL	
~~KPAJ01AA~~	B1V5J7'	**Sample**	100.000	0.121		0.121	1	0.0579	0.058	
KPCLSIAA	SKS 7/8/08		100.000				1			
			100.000				1			
			100.000				1			
n/a	n/a	**CCV**	100.000	0.965		0.965	1	0.5044	0.504	100.88%
n/a	n/a	**CCB**	100.000	0.000		0.000	1	<MDL	<MDL	
			100.000				1			
			100.000				1			
			100.000				1			
			100.000				1			
			100.000				1			

RADIOCHEMISTRY, First Level Review

Lot No., Due Date:	**J8E280299,J8F050164; 07/21/2008**
Client, Site:	**384868; PGW 615HANFORD HANFORD**
QC Batch No., Method Test:	**8164623; RUISO Uiso by ALP**
SDG, Matrix:	**W05419; WATER**

1.0 COC

1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions? Yes ✓ No N/A

2.0 QC Batch

2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet? Yes ✓ No N/A

2.2 Are the QC appropriate for the analysis included in the batch? Yes ✓ No N/A

2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc? Yes ✓ No N/A

2.4 Does the Worksheets include a Tracer Vial label for each sample? Yes ✓ No N/A

3.0 QC & Samples

3.1 Is the blank results, yield, and MDA within contract limits? Yes ✓ No N/A

3.2 Is the LCS result, yield, and MDA within contract limits? Yes ✓ No N/A

3.3 Are the MS/MSD results, yields, and MDA within contract limits? Yes No N/A ✓

3.4 Are the duplicate result, yields, and MDAs within contract limits? Yes ✓ No N/A

3.5 Are the sample yields and MDAs within contract limits? Yes ✓ No N/A

4.0 Raw Data

4.1 Were results calculated in the correct units? Yes ✓ No N/A

4.2 Were analysis volumes entered correctly? Yes ✓ No N/A

4.3 Were Yields entered correctly? Yes ✓ No N/A

4.4 Were spectra reviewed/meet contractual requirements? Yes ✓ No N/A

4.5 Were raw counts reviewed for anomalies? Yes ✓ No N/A

5.0 Other

5.1 Are all nonconformances included and noted? Yes No N/A ✓

5.2 Are all required forms filled out? Yes ✓ No N/A

5.3 Was the correct methodology used? Yes ✓ No N/A

5.4 Was transcription checked? Yes ✓ No N/A

5.5 Were all calculations checked at a minimum frequency? Yes ✓ No N/A

5.6 Are worksheet entries complete and correct? Yes ✓ No N/A

6.0 Comments on any No response:

First Level Review Diana E. Richland **Date** 6/27/08

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8164623

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	√		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	√		
3. Are the correct isotopes reported?	√		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤the Contract Detection Limit?	√		
2. Does the blank result meet the Contract criteria?	√		
3. Is the blank result < the Contract Detection Limit?	√		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			√
5. Is the LCS recovery within contract acceptance criteria?	√		
6. Is the LCS Minimum Detectable Activity ≤the Contract Detection Limit?	√		
7. Do the MS/MSD results and yields meet acceptance criteria?			√
8. Do the duplicate sample results and yields meet acceptance criteria?	√		
C. Other 1. Are all Non-conformances included and noted?			√
2. Are all required forms filled out?	√		
3. Was the correct methodology used?	√		
4. Was transcription checked?	√		
5. Were all calculations checked at a minimum frequency?	√		
6. Were units checked?	√		

Comments on any "No" response: _____

Second Level Review: Erika Ford Date: 6/30/08

LS-038B, Rev. 10, 9/07

RADIOCHEMISTRY, First Level Review

Lot No., Due Date: J8E280299,J8F050164; **07/21/2008**

Client, Site: 384868: PGW 615HANFORD HANFORD

QC Batch No., Method Test: 8164622; RNP237 Np-237 w/tracer

SDG, Matrix: W05419; WATER

1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	Yes ✓	No	N/A
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	Yes ✓	No	N/A
2.2 Are the QC appropriate for the analysis included in the batch?	Yes ✓	No	N/A
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	Yes ✓	No	N/A
2.4 Does the Worksheets include a Tracer Vial label for each sample?	Yes ✓	No	N/A
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.2 Is the LCS result, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.3 Are the MS/MSD results, yields, and MDA within contract limits?	Yes	No	N/A ✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	Yes ✓	No	N/A
3.5 Are the sample yields and MDAs within contract limits?	Yes ✓	No	N/A
4.0 Raw Data			
4.1 Were results calculated in the correct units?	Yes ✓	No	N/A
4.2 Were analysis volumes entered correctly?	Yes ✓	No	N/A
4.3 Were Yields entered correctly?	Yes ✓	No	N/A
4.4 Were spectra reviewed/meet contractual requirements?	Yes ✓	No	N/A
4.5 Were raw counts reviewed for anomalies?	Yes ✓	No	N/A
5.0 Other			
5.1 Are all nonconformances included and noted?	Yes	No	N/A ✓
5.2 Are all required forms filled out?	Yes ✓	No	N/A
5.3 Was the correct methodology used?	Yes ✓	No	N/A
5.4 Was transcription checked?	Yes ✓	No	N/A
5.5 Were all calculations checked at a minimum frequency?	Yes ✓	No	N/A
5.6 Are worksheet entries complete and correct?	Yes ✓	No	N/A

6.0 Comments on any No response:

First Level Review Steven E. Mikulski **Date** 6/27/08

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8164627

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Erika Ford Date: 6/30/15

LS-038B, Rev. 10, 9/07

Lot No., Due Date: J8F050162,J8F050177; 07/21/2008
Client, Site: 384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test: 8164615; RALPHA-A Alpha by GPC-Am
SDG, Matrix: W05419; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples OK	✓		
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used Analysis Volume => KPEVW1AA 142.90<200.00 KPEX61AA 166.80<200.00 Q:VB		✓	
8.07 The Correct Count Geometry was Used. OK	✓		
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits. No Matrix Blanks (MBlks) found in Batch!			✓
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits. OK (RPD)	✓		
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits. No Matrix Spikes (MLCS) found in Batch!			✓
8.16 MS within Control Limits. No Matrix Spike Samples (MS) found in Batch!			✓
8.17 Tracer within Control Limits. OK	✓		
8.18 Samples are above Minimum Tracer Yield (No Failed Samples) OK	✓		
8.19 Sample Specific MDC <= CRDL. OK	✓		
8.2 Comments:			
8.21 Result < Lc, Activity Not Detected, U Flag. No Limit Specified!			✓
8.22 Result < Mdc, Activity Not Detected, U Flag. Batch Positive Result => KPEVW1AA ALPHA 5.9E+00 L:1.7E+00		✓	
8.23 Result <= Action Level, when Defined. OK; No Action Level Found => ALPHA OK; No Callin Level Found => ALPHA	✓		
8.24 Result + 3s >=0, Not Too Negative. OK	✓		
8.25 Counting Spectrum are within FWHM Limits. No FWHM found in Batch Data!			✓

8.27 Correct Count Library Used. Yes No N/A ✓
No Count Library found in Batch Data!

8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.3 Comments:

8.31 Results Blank Subtracted as Appropriate. Yes ✓ No N/A
OK

First Level Review Lisa Anderson Date 6/30/08

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8164615

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis			
1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples			
1. Is the Minimum Detectable Activity for the blank result ≤the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other			
1. Are all Non-conformances included and noted?	✓		✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Erika Ford Date: 6/30/18

LS-038B, Rev. 10, 9/07

Lot No., Due Date: J8F050162,J8F050177; 07/21/2008
Client, Site: 384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test: 8164616; RBETA-SR Beta by GPC-Sr/Y
SDG, Matrix: W05419; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples OK	✓		
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used OK	✓		
8.07 The Correct Count Geometry was Used. OK	✓		
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits. No Matrix Blanks (MBlks) found in Batch!			✓
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits. OK (RPD)	✓		
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits. No Matrix Spikes (MLCS) found n Batch!			✓
8.16 MS within Control Limits. No Matrix Spike Samples (MS) found in Batch!			✓
8.17 Tracer within Control Limits. OK	✓		
8.18 Samples are above Minimum Tracer Yield (No Failed Samples) OK	✓		
8.19 Sample Specific MDC <= CRDL. OK	✓		
8.2 Comments:			
8.21 Result < Lc, Activity Not Detected, U Flag. No Limit Specified!			✓
8.22 Result < Mdc, Activity Not Detected, U Flag. Batch Positive Result => KPEVW1AC BETA 1.4E+01 L:2.9E+00 KPEX61AC BETA 5.7E+00 L:2.9E+00		✓	
8.23 Result <= Action Level, when Defined. OK; No Action Level Found => BETA OK; No Callin Level Found => BETA	✓		
8.24 Result + 3s >=0, Not Too Negative. OK	✓		
8.25 Counting Spectrum are within FWHM Limits. No FWHM found in Batch Data!			✓

8.27 Correct Count Library Used. Yes No N/A ✓
No Count Library found in Batch Data!

8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.3 Comments:

8.31 Results Blank Subtracted as Appropriate. Yes No N/A ✓
OK

First Level Review Lisa Anderson **Date** 6/30/08

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8116616

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Erika Ford Date: 6/30/16

LS-038B, Rev. 10, 9/07

Lot No., Due Date:	**J8F050177; 07/21/2008**
Client, Site:	**384868; PGW 615HANFORD HANFORD**
QC Batch No., Method Test:	**8164619; RSR85907 Sr-85/90 by GPC-7**
SDG, Matrix:	**W05419; WATER**

1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	Yes ✓	No	N/A
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	Yes ✓	No	N/A
2.2 Are the QC appropriate for the analysis included in the batch?	Yes ✓	No	N/A
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	Yes ✓	No	N/A
2.4 Does the Worksheets include a Tracer Vial label for each sample?	Yes ✓	No	N/A
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.2 Is the LCS result, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.3 Are the MS/MSD results, yields, and MDA within contract limits?	Yes	No	N/A ✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	Yes ✓	No	N/A
3.5 Are the sample yields and MDAs within contract limits?	Yes ✓	No	N/A
4.0 Raw Data			
4.1 Were results calculated in the correct units?	Yes ✓	No	N/A
4.2 Were analysis volumes entered correctly?	Yes ✓	No	N/A
4.3 Were Yields entered correctly?	Yes ✓	No	N/A
4.4 Were spectra reviewed/meet contractual requirements?	Yes ✓	No	N/A
4.5 Were raw counts reviewed for anomalies?	Yes ✓	No	N/A
5.0 Other			
5.1 Are all nonconformances included and noted?	Yes	No	N/A ✓
5.2 Are all required forms filled out?	Yes ✓	No	N/A
5.3 Was the correct methodology used?	Yes ✓	No	N/A
5.4 Was transcription checked?	Yes ✓	No	N/A
5.5 Were all calculations checked at a minimum frequency?	Yes ✓	No	N/A
5.6 Are worksheet entries complete and correct?	Yes ✓	No	N/A

6.0 Comments on any No response:

First Level Review _____ **Date** 7-10-8

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8164619

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Jodie G Date: 7/10/08

Lot No., Due Date: J8E280299,J8F050164,J8F050177; 07/21/2008
Client, Site: 384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test: 8164617; RGAMMA Gamma by GER
SDG, Matrix: W05419; WATER

1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	Yes ✓	No	N/A
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	Yes ✓	No	N/A
2.2 Are the QC appropriate for the analysis included in the batch?	Yes ✓	No	N/A
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	Yes ✓	No	N/A
2.4 Does the Worksheets include a Tracer Vial label for each sample?	Yes	No	N/A ✓
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.2 Is the LCS result, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.3 Are the MS/MSD results, yields, and MDA within contract limits?	Yes	No	N/A ✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	Yes ✓	No	N/A
3.5 Are the sample yields and MDAs within contract limits?	Yes ✓	No	N/A
4.0 Raw Data			
4.1 Were results calculated in the correct units?	Yes ✓	No	N/A
4.2 Were analysis volumes entered correctly?	Yes ✓	No	N/A
4.3 Were Yields entered correctly?	Yes	No	N/A ✓
4.4 Were spectra reviewed/meet contractual requirements?	Yes ✓	No	N/A
4.5 Were raw counts reviewed for anomalies?	Yes ✓	No	N/A
5.0 Other			
5.1 Are all nonconformances included and noted?	Yes	No	N/A ✓
5.2 Are all required forms filled out?	Yes ✓	No	N/A
5.3 Was the correct methodology used?	Yes ✓	No	N/A
5.4 Was transcription checked?	Yes ✓	No	N/A
5.5 Were all calculations checked at a minimum frequency?	Yes ✓	No	N/A
5.6 Are worksheet entries complete and correct?	Yes ✓	No	N/A

6.0 Comments on any No response:

First Level Review Lisa Anderson **Date** 6/30/08

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8160617

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Erika Ojeda Date: 6/30/18

LS-038B, Rev. 10, 9/07

Lot No., Due Date: J8E280293,J8E280295,J8E280299,J8E230328,J8F040162,J8F040165,J8F050164,J8F050177;

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 8164618; RGAMLEPS Gamma by LEPS

SDG, Matrix: W05419; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?	✓		
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?	✓		
3.3 Are the MS/MSD results, yields, and MDA within contract limits?			✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	✓		
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?	✓		
4.4 Were spectra reviewed/meet contractual requirements?	✓		
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?			✓
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?	✓		
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:

First Level Review Lisa Cyphers **Date** 7/10/08

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8164018

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis			
1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples			
1. Is the Minimum Detectable Activity for the blank result ≤the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other			
1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Erika Ford Date: 7/13/18

LS-038B, Rev. 10, 9/07

Lot No., Due Date: J8F050164; 07/21/2008

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 8192442; RSE79 Se-79 by LSC

SDG, Matrix: # 8164621 SLS 7/21/08
W05419; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the COC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?	✓		
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?			✓
3.3 Are the MS/MSD results, yields, and MDA within contract limits?			✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?			✓
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?	✓		
4.4 Were spectra reviewed/meet contractual requirements?			✓
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?	✓		
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?			✓
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:
Please see NCM # 10-12701

First Level Review John Vonte **Date** 7-18-8

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8192442 & 8164621
SKS 7/21/08

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?		✓	
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?		✓	
7. Do the MS/MSD results and yields meet acceptance criteria?	✓		
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?	✓		
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: Recounted due to Low LCS.
C - Acm

Second Level Review: Dr Letty Date: 07-21-08

Clouseau
Nonconformance Memo

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

NCM #: **10-12701**
NCM Initiated By: John Norton
Date Opened: 07/18/2008
Date Closed:

Classification: **Anomaly**
Status: **GLREVIEW**
Production Area: Environmental - Sep
Tests: None
Lot #'s (Sample #'s): J8F050164 (1),
QC Batches: None.,

Nonconformance: Tracer yield out of limits
Subcategory: Unknown

Problem Description / Root Cause

Name	Date	Description
John Norton	07/18/2008	This sample provided a low tracer yield and did not meet the CRDL.

Corrective Action

Name	Date	Corrective Action
John Norton	07/18/2008	The sample was re-analyzed in batch # 8192442.

Client Notification Summary

Client	Project Manager	Notified	Response	How Notified	Note
	Response	Response Note			

Quality Assurance Verification

Verified By	Due Date	Status	Notes
		This section not yet completed by QA.	

Approval History

Date Approved	Approved By	Position

Date Printed: 7/18/2008

Lot No., Due Date: J8E280299,J8F050164; 07/21/2008
Client, Site: 384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test: 8164624; RC14 C-14 by LSC
SDG, Matrix: W05419; WATER

	Yes	No	N/A
8.0 Correction Calculation Protocol Used. OK	✓		
8.01 The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02 Final Results Are in the Appropriate Activity Units OK	✓		
8.03 Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04 The Correct Tracer and QC Vials Where Used in the Samples OK	✓		
8.05 Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06 At Least the Minimum Sample Volume Was Used OK	✓		
8.07 The Correct Count Geometry was Used. OK	✓		
8.08 The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09 Method Blank is within Control Limits. OK	✓		
8.1 Comments:			
8.11 Matrix Blank is within Control Limits. No Matrix Blanks (MBlks) found n Batch!			✓
8.12 Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13 QAS Specified Duplicate Equation Value within Control Limits. RPD > UCL : 20.0=> KN1JX1AJ C-14 3800.0 (RPD)		✓	
8.14 LCS within Control Limits. OK	✓		
8.15 MLCS within Control Limits. No Matrix Spikes (MLCS) found n Batch!			✓
8.16 MS within Control Limits. No Matrix Spike Samples (MS) found in Batch!			✓
8.17 Tracer within Control Limits. No Tracers found in Batch!			✓
8.18 Samples are above Minimum Tracer Yield (No Failed Samples) No Tracers found in Batch!			✓
8.19 Sample Specific MDC <= CRDL. OK	✓		
8.2 Comments:			
8.21 Result < Lc, Activity Not Detected, U Flag. No Limit Specified!			✓
8.22 Result < Mdc, Activity Not Detected, U Flag. No Positive Results OK Calc_IDL Not Calculated	✓		
8.23 Result <= Action Level, when Defined. OK; No Action Level Found => C-14 OK; No Callin Level Found => C-14	✓		
8.24 Result + 3s >=0, Not Too Negative. OK	✓		
8.25 Counting Spectrum are within FWHM Limits. No FWHM found in Batch Data!			✓

8.27 Correct Count Library Used. Yes No N/A ✓
No Count Library found in Batch Data!

8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions) Yes No N/A

8.3 Comments:

8.31 Results Blank Subtracted as Appropriate. Yes No N/A ✓
OK

First Level Review Lee Anderson Date 4/25/08

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8164624

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Erika Ford Date: 10/25/18

LS-038B, Rev. 10, 9/07

Lot No., Due Date:	**J8F050162; 07/21/2008**
Client, Site:	**384868; PGW 615HANFORD HANFORD**
QC Batch No., Method Test:	**8164620; RUNAT UNat by KPA**
SDG, Matrix:	**W05419; WATER**

1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	Yes ✓	No	N/A
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	Yes ✓	No	N/A
2.2 Are the QC appropriate for the analysis included in the batch?	Yes ✓	No	N/A
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	Yes ✓	No	N/A
2.4 Does the Worksheets include a Tracer Vial label for each sample?	Yes	No	N/A ✓
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.2 Is the LCS result, yield, and MDA within contract limits?	Yes ✓	No	N/A
3.3 Are the MS/MSD results, yields, and MDA within contract limits?	Yes ✓	No	N/A
3.4 Are the duplicate result, yields, and MDAs within contract limits?	Yes ✓	No	N/A
3.5 Are the sample yields and MDAs within contract limits?	Yes ✓	No	N/A
4.0 Raw Data			
4.1 Were results calculated in the correct units?	Yes ✓	No	N/A
4.2 Were analysis volumes entered correctly?	Yes ✓	No	N/A
4.3 Were Yields entered correctly?	Yes ✓	No	N/A
4.4 Were spectra reviewed/meet contractual requirements?	Yes ✓	No	N/A
4.5 Were raw counts reviewed for anomalies?	Yes ✓	No	N/A
5.0 Other			
5.1 Are all nonconformances included and noted?	Yes	No	N/A ✓
5.2 Are all required forms filled out?	Yes ✓	No	N/A
5.3 Was the correct methodology used?	Yes ✓	No	N/A
5.4 Was transcription checked?	Yes ✓	No	N/A
5.5 Were all calculations checked at a minimum frequency?	Yes	No	N/A ✓
5.6 Are worksheet entries complete and correct?	Yes ✓	No	N/A

6.0 Comments on any No response:

First Level Review John Morton **Date** 7-16-8

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 8164620

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?	✓		
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Jodi Cox Date: 7/17/08

SKS

TestAmerica

Richland Laboratory
Data Review Check List
Hexavalent Chromium

Batch Number(s): **8151262** WO 5419 JSE 290299

Lab Sample Numbers or

Method/Test/Parameter: **Cr+6 in Water / RICH-WC-5003**

Review Item	Yes (✓)	No (✓)	N/A (✓)	2nd Level Review (✓)
A. Initial Calibration				
1. Performed at required frequency with required number of levels?	✓			✓
2. Correlation coefficient within QC limits?	✓			✓
3. Initial calibration verification (ICV) analyzed immediately after calibration and results within QC limits?	✓			✓
4. Initial calibration blank (ICB) analyzed immediately after ICV and concentrations of all parameters ≤ reporting limit?	✓			✓
B. Continuing Calibration	✓			
1. CCV analyzed at required frequency and all parameters within QC limits?				✓
2. CCB analyzed at required frequency and all results ≤ reporting limit?	✓			✓
C. Sample Analysis				
1. Were any samples with concentrations above the linear range for any parameter diluted and reanalyzed?	✓			✓
2. Were all sample holding times met?	✓			✓
D. QC Samples				
1. All results for the preparation blank below limits?	✓			✓
2. MS or MS/MSD recoveries within QC limits and %RPD (for MSD) acceptable?	✓			✓
3. LCS percent recovery within QC limits and %RPD (for LCSD) acceptable?	✓			✓
4. Analytical spikes within QC limits where applicable?			✓	✓
5. ICP only: One serial dilution performed per SDG?			✓	✓
6. ICP only: CRDL standard (CRI or CRA) analyzed at required frequency?			✓	✓
7. ICP only: Interference check samples (ICSA, ICSAB) and HICAL analyzed at the required frequencies and within QC limits?			✓	✓

Review Item	Yes (✓)	No (✓)	N/A (✓)	2nd Level Review (✓)
E. Other	✓			
1. Are all nonconformances included and noted?				✓
2. Is the correct date and time of analysis shown?	✓			✓
3. Did the analyst sign and date the front page of the analytical run?	✓			✓
4. Correct methodology used?	✓			✓
5. Transcriptions checked?	✓			✓
6. Calculations checked at minimum frequency?	✓			✓
7. Units checked?	✓			✓

Comments on any "No" response:

Analyst: [signature] Date: 5/30/08

Second-Level Review: [signature] Date: 07/08/08

SKS

TestAmerica

Richland Laboratory
Data Review Check List
Hexavalent Chromium

Batch Number(s): 8154426 F8F020174 WC5419

Lab Sample Numbers or

Method/Test/Parameter: **Cr+6 in Water / RICH-WC-5003**

Review Item	Yes (✓)	No (✓)	N/A (✓)	2nd Level Review (✓)
A. Initial Calibration 1. Performed at required frequency with required number of levels?	✓			✓
2. Correlation coefficient within QC limits?	✓			✓
3. Initial calibration verification (ICV) analyzed immediately after calibration and results within QC limits?	✓			✓
4. Initial calibration blank (ICB) analyzed immediately after ICV and concentrations of all parameters ≤ reporting limit?	✓			✓
B. Continuing Calibration 1. CCV analyzed at required frequency and all parameters within QC limits?	✓			✓
2. CCB analyzed at required frequency and all results ≤ reporting limit?	✓			✓
C. Sample Analysis 1. Were any samples with concentrations above the linear range for any parameter diluted and reanalyzed?	✓			✓
2. Were all sample holding times met?	✓			✓
D. QC Samples 1. All results for the preparation blank below limits?	✓			✓
2. MS or MS/MSD recoveries within QC limits and %RPD (for MSD) acceptable?	✓			✓
3. LCS percent recovery within QC limits and %RPD (for LCSD) acceptable?	✓			✓
4. Analytical spikes within QC limits where applicable?			✓	✓
5. ICP only: One serial dilution performed per SDG?			✓	✓
6. ICP only: CRDL standard (CRI or CRA) analyzed at required frequency?			✓	✓
7. ICP only: Interference check samples (ICSA, ICSAB) and HICAL analyzed at the required frequencies and within QC limits?			✓	✓

Review Item	Yes (✓)	No (✓)	N/A (✓)	2nd Level Review (✓)
E. Other 1. Are all nonconformances included and noted?	✓			—
2. Is the correct date and time of analysis shown?	✓			—
3. Did the analyst sign and date the front page of the analytical run?	✓			—
4. Correct methodology used?	✓			—
5. Transcriptions checked?	✓			—
6. Calculations checked at minimum frequency?	✓			—
7. Units checked?	✓			—

Comments on any "No" response:

Analyst: _____ Date: 6/3/08

Second-Level Review: _____ Date: 07/08/08

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Richland Laboratory
Data Review Check List
Hexavalent Chromium

Batch Number(s): **8155503** WC5419 J8F 030292 & J8F 040186
Lab Sample Numbers or
Method/Test/Parameter: **Cr+6 in Water / RICH-WC-5003**

Review Item	Yes (✓)	No (✓)	N/A (✓)	2nd Level Review (✓)
A. Initial Calibration	✓			
1. Performed at required frequency with required number of levels?				✓
2. Correlation coefficient within QC limits?	✓			✓
3. Initial calibration verification (ICV) analyzed immediately after calibration and results within QC limits?	✓			✓
4. Initial calibration blank (ICB) analyzed immediately after ICV and concentrations of all parameters ≤ reporting limit?	✓			✓
B. Continuing Calibration	✓			
1. CCV analyzed at required frequency and all parameters within QC limits?				✓
2. CCB analyzed at required frequency and all results ≤ reporting limit?	✓			✓
C. Sample Analysis	✓			
1. Were any samples with concentrations above the linear range for any parameter diluted and reanalyzed?				✓
2. Were all sample holding times met?	✓			✓
D. QC Samples	✓			
1. All results for the preparation blank below limits?				✓
2. MS or MS/MSD recoveries within QC limits and %RPD (for MSD) acceptable?	✓			✓
3. LCS percent recovery within QC limits and %RPD (for LCSD) acceptable?	✓			✓
4. Analytical spikes within QC limits where applicable?			✓	✓
5. ICP only: One serial dilution performed per SDG?			✓	✓
6. ICP only: CRDL standard (CRI or CRA) analyzed at required frequency?			✓	✓
7. ICP only: Interference check samples (ICSA, ICSAB) and HICAL analyzed at the required frequencies and within QC limits?			✓	✓

Review Item	Yes (✓)	No (✓)	N/A (✓)	2nd Level Review (✓)
E. Other 1. Are all nonconformances included and noted?	✓			✓
2. Is the correct date and time of analysis shown?	✓			✓
3. Did the analyst sign and date the front page of the analytical run?	✓			✓
4. Correct methodology used?	✓			✓
5. Transcriptions checked?	✓			✓
6. Calculations checked at minimum frequency?	✓			✓
7. Units checked?	✓			✓

Comments on any "No" response:

Analyst: _____ Date: 6/3/08

Second-Level Review: _____ Date: 07/08/08

TESTAMERICA

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST J8E230328 W05419 DUE 7708 KNTWQ	C.O.C. # I08-038-61 Page 1 of 1

Collector	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. I08-038	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title 2ZP1, MAY 2008	HNF-N-506-10	**Ice Chest No.** GW5-069 **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol CERCLA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V6L4		W	5/20/08	1322	1x20-mL P	Activity Scan	None
B1V6L4		W	↓	+	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None

Relinquished By (Print / Sign)	Date/Time	Received By (Print / Sign)	Date/Time
R.D. Julian	5/23/08 1038	KB Hulse	5/23/08 1030
KB Hulse	5/23/08 1215	S. Smith	5/23/08 12:15

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

79

TESTAMERICA

FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

J8E230328 W05419 DNF 7708 KNTW6

C.O.C. # **108-038-58**

Page 1 of 1

Collector	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. 108-038	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title 2ZP1, MAY 2008	TNF-N-506-10	**Ice Chest No.** GWS-009 **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol CERCLA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time**
200 Area Generator Knowledge Information Form applies.

Total Activity Exemption: Yes ☑ No ☐

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V6L0		W	5/20/08	1250	1x20-mL P	Activity Scan	None
B1V6L0		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
	R.D. Julian		5/23/08 1030	KB Hulse		KB Hulse	5/23/08 1030
Relinquished By			Date/Time	Received By			Date/Time
KB Hulse		KB Hulse	5/23/08 12:15	S. Smith		S. Smith	05/23/08 12:15
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) | Disposed By | Date/Time

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 05/23/08 12:15 GM Screen Result .07

Client: PGW SDG #: W05419 NA[ ] SAF #: I08-038 NA [ ]

Work Order Number: 18E230328 Chain of Custody # I08-038-61,58

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 2
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   _____ Tape
   _____ Custody Seals
   _____ Hazard Lables
   ✓ Appropriate Sample Lables
9. Samples are:
   ✓ In Good Condition
   _____ Broken
   _____ Leaking
   _____ Have Air Bubbles
   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added None
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: L. Smith Date: 05/23/08

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST J8E280293 W05419 Due 07 11 08	C.O.C. # W08-005-328 Page 1 of 1

Collector R.D. Julian	Contact/Requester Steve Trent	Telephone No. 509-373-5869 MSIN FAX
SAF No. W08-005	Sampling Origin Hanford Site	Purchase Order/Charge Code
Project Title RCRA MAY 2008	HNF-IV-506-12	Ice Chest No. 6W1 Temp.
Shipped To (Lab) TestAmerica Incorporated Richland	Method of Shipment Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol RCRA	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time — Total Activity Exemption: Yes ☑ No ☐
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V845		W	5-27-08	1401	1x20-mL P	Activity Scan	None
B1V845		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
						KNIHA	

Relinquished By (Print / Sign)	Date/Time	Received By (Print / Sign)	Date/Time
R.D. Julian	MAY 28 2008 0835	R.A. Shepard	MAY 28 2008 0836
R.A. Shepard	5/28/08 1325	RR WLANE TAL	52808 1325

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

82

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 05.28.08 1325 GM Screen Result .1

Client: PBW SDG #: W05419 NA[ ] SAF #: W08.005 NA [ ]

Work Order Number: JBE280293 Chain of Custody # W08.005.328

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 1
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   _____ Tape
   _____ Custody Seals
   _____ Hazard Lables
   ✓ Appropriate Sample Lables
9. Samples are:
   ✓ In Good Condition
   _____ Broken
   _____ Leaking
   _____ Have Air Bubbles
   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added None
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 52808

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

J8E280295 W05419 Due 07/11/08

C.O.C. # I08-038-2

Page 1 of 1

Collector R. D. Julian	Contact/Requester Steve Trent	Telephone No. 509-373-5869	MSIN FAX
SAF No. I08-038	Sampling Origin Hanford Site	Purchase Order/Charge Code	
Project Title 2ZP1, MAY 2008	HNF-N-506-12	Ice Chest No. GW1	Temp.
Shipped To (Lab) TestAmerica Incorporated, Richland	Method of Shipment Govt. Vehicle	Bill of Lading/Air Bill No.	
Protocol CERCLA	Priority: 45 Days	Offsite Property No.	

POSSIBLE SAMPLE HAZARDS/REMARKS

** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time

200 Area Generator Knowledge Information Form applies.

Total Activity Exemption: Yes ☑ No ☐

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V6B1		W	5-27-08	1210	1x20-mL P	Activity Scan	None
B1V6B1		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
						KNIHP	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
	R. D. Julian		MAY 28 2008 0830		R. A. Shepard		MAY 28 2008 0830
Relinquished By			Date/Time	Received By			Date/Time
R. A. Shepard			5/28/08 1325	RPL LOANE TAL			52808 1325
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil	DS = Drum Solid	SE = Sediment	DL = Drum Liquid
SO = Solid	T = Tissue	SL = Sludge	WI = Wipe
W = Water	L = Liquid	O = Oil	V = Vegetation
A = Air	X = Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TESTAMERICA

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST J8E280295 W05419 Due 07-11-08	C.O.C. # 108-038-3 Page 1 of 1

Collector: R. D. Julian	Contact/Requester: Steve Trent	Telephone No.: 509-373-5869 MSIN FAX
SAF No.: 108-038	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: 2ZP1, MAY 2008	HNF-N-506-12	Ice Chest No.: 6W1 Temp.
Shipped To (Lab): TestAmerica Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: CERCLA	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time — Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V6B2		W	5-27-08	1210	1x20-mL P	Activity Scan	None
B1V6B2		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
						KNiHQ	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
	R. D. Julian		MAY 28 2008 0830		R. A. Shepard		MAY 28 2008 0830
Relinquished By	R. A. Shepard		Date/Time 5/28/08 1325	Received By	ULANE TAL		Date/Time 52808 1325
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 05 28 08 1325 GM Screen Result .1

Client: PBW SDG #: W05419 NA[ ] SAF #: I08-038 NA [ ]

Work Order Number: J8E280295 Chain of Custody # I08-038-2, 3

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 2
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   _____ Tape
   _____ Custody Seals
   _____ Hazard Lables
   1 Appropriate Sample Lables
9. Samples are:
   1 In Good Condition
   _____ Broken
   _____ Leaking
   _____ Have Air Bubbles
   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added None
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 52808

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

J8E280299 W05419 Due 07 11 08

C.O.C. # **I08-037-91**

Page 1 of 1

Collector Roy Sickle	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. I08-037	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title 2UPL MAY 2008	HNF-N-506-13	**Ice Chest No.** GW-1 **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** **

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V9W2		W	5/27/08	0957	1x20-mL P	Activity Scan	None
B1V9W2		W	↓	↓	2x1000-mL G/P	C14_LSC: C-14 (1)	None
B1V9W2		W	↓	↓	1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1V9W2		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
B1V9W2		W	↓	↓	2x1000-mL G/P	Selenium-79	HNO3 to pH <2
B1V9W2		W	↓	↓	1x1000-mL G/P	UISO_PLATE_AEA: List-1 (3)	HNO3 to pH <2
B1V9W2		W	↓	↓	1x1000-mL G/P	NP237_LLE_PLATE_AEA:Np-237(1)	HNO3 to pH <2
						KNIJT	

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
Roy Sickle	[signature]		5/28/08 0830	R. A. Shepard	[signature]		5/28/08 0830
R. A. Shepard	[signature]		5/28/08 1325	RJR LJLANE TAL			5 28 08 1325

Matrix *

S	= Soil	DS	= Drum Solid
SE	= Sediment	DL	= Drum Liqui
SO	= Solid	T	= Tissue
SL	= Sludge	WI	= Wine
W	= Water	L	= Liquid
O	= Oil	V	= Vegetation
A	= Air	X	= Other

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

87

TESTAMERICA

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # I08-037-92
		Page 1 of 1

Collector: Roy Sickle	Contact/Requester: Steve Trent	Telephone No.: 509-373-5869 MSIN FAX
SAF No.: I08-037	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: 2UP1 MAY 2008	HNF-N-506-13	Ice Chest No.: GW-1 Temp.
Shipped To (Lab): TestAmerica Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** **

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V9W3		W	5/27/08	1113	1x20-mL P	Activity Scan	None
B1V9W3		W	↓	↓	2x1000-mL G/P	C14_LSC: C-14 (1)	None
B1V9W3		W			1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1V9W3		W			2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
B1V9W3		W			2x1000-mL G/P	Selenium-79	HNO3 to pH <2
B1V9W3		W			1x1000-mL G/P	UISO_PLATE_AEA: List-1 (3)	HNO3 to pH <2
B1V9W3		W	↓	↓	1x1000-mL G/P	NP237_LLE_PLATE_AEA:Np-237(1) KNIJX	HNO3 to pH <2

88

Relinquished By (Print / Sign)	Date/Time	Received By (Print / Sign)	Date/Time
Roy Sickle	5/28/08 0830	R. A. Shepard	5/28/08 0830
R. A. Shepard	5/28/08 1325	LJLANE TAL	52808 1325

Matrix *

S = Soil	DS = Drum Solid	SE = Sediment	DL = Drum Liqui
SO = Solid	T = Tissue	SL = Sludge	WI = Wipe
W = Water	L = Liquid	O = Oil	V = Vegetation
A = Air	X = Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TESTAMERICA

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST JBE280299 W05419 Due 07.11.08	C.O.C. # I08-037-38 Page 1 of 1

Collector: Roy Sickle	Contact/Requester: Steve Trent	Telephone No.: 509-373-5869 MSIN FAX
SAF No.: I08-037	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: 2UP1, MAY 2008	HNF-N-506-13	Ice Chest No.: GW-1 Temp.
Shipped To (Lab): TestAmerica Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time — Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V680		W	5/27/08	1318	1x20-mL P	Activity Scan	None
B1V680		W	5/27/08	1318	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
						KNIKG	

89

Relinquished By	Print / Sign	Date/Time	Received By	Print / Sign	Date/Time
Roy Sickle		5/28/08 0830	R. A. Shepard		5/28/08 0830
R. A. Shepard		5/28/08 1325		LW LANE TAC	52808 1325

Matrix *

S = Soil	DS = Drum Solid	SE = Sediment	DL = Drum Liqui
SO = Solid	T = Tissue	SL = Sludge	WI = Wine
W = Water	L = Liquid	O = Oil	V = Vegetation
A = Air	X = Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TESTAMERICA

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST J8E280299 W05419 Due 07.11.08	C.O.C. # I08-037-37 Page 1 of 1

Collector Roy Sickle	Contact/Requester Steve Trent	Telephone No. 509-373-5869 MSIN FAX
SAF No. I08-037	Sampling Origin Hanford Site	Purchase Order/Charge Code
Project Title 2UPL MAY 2008	HNF-N-506-13	Ice Chest No. GW-1 Temp.
Shipped To (Lab) TestAmerica Incorporated Richland	Method of Shipment Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol SURV	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V679		W	5/27/08	1318	1x20-mL P	Activity Scan	None
B1V679		W	"	1318	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
						KNIKP	

90

Relinquished By	Date/Time	Received By	Date/Time
Roy Sickle (Print) (Sign)	5/28/08 0830	R. A. Shepard (Print) (Sign)	5/28/08 0830
R. A. Shepard	5/28/08 1325	WLANE TAL	52808 1325
Relinquished By	Date/Time	Received By	Date/Time
Relinquished By	Date/Time	Received By	Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TESTAMERICA

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # I08-037-45
5/27/08 AN	J8E280299 W05419 Due 07.11.08	Page 1 of 1

Collector ~~Scott E. Hamaker~~ Roy Sickle	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. I08-037	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title 2UP1, MAY 2008	HNF-11-506-13	**Ice Chest No.** GW-1 **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V687		W	5/27/08	1440	1x20-mL P	Activity Scan	None
B1V687		W	5/27/08	1440	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
						KNIKX	

Roy Sickle

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
	~~Scott E. Hamaker~~ 5/27/08		5/28/08 0830		R. A. Shepard		5/28/08 0830
Relinquished By	R. A. Shepard		Date/Time 5/28/08 1325	Received By	L SLANE TAL		Date/Time 5 28 08 1325
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 05.28.08 1325 GM Screen Result .1

Client: PBW SDG #: W05419 NA[ ] SAF #: I08-037 NA [ ]

Work Order Number: JBE280299 Chain of Custody # I08-037-91,38,37,45,92

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 5
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   _____ Tape
   _____ Custody Seals
   _____ Hazard Lables
   ✓ Appropriate Sample Lables
9. Samples are:
   ✓ In Good Condition
   _____ Broken
   _____ Leaking
   _____ Have Air Bubbles
   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [✓] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added None
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 52808

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST J8E290299 W05419 DUE 71408 KN3T7	C.O.C. # I08-036-4 Page 1 of 1

Collector: Roy Sickle	Contact/Requester: Steve Trent	Telephone No.: 509-373-5869 MSIN FAX
SAF No.: I08-036	Sampling Origin: Hanford Site	Purchase Order/Charge Code
Project Title: 100KR4IAM(1/2), MAY 2008	HNF-N-506-13	Ice Chest No.: GIN-1 Temp.
Shipped To (Lab): TestAmerica Incorporated, Richland	Method of Shipment: Govt. Vehicle	Bill of Lading/Air Bill No.
Protocol: CERCLA	Priority: 45 Days	Offsite Property No.

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time
100 Area Generator Knowledge Information Form applies.

Total Activity Exemption: Yes ☑ No ☐

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V608		W	5/29/08	1314	1x500-mL aG	7196_CR6: Hexavalent Chromium (1)	Cool~4C
B1V608		W	5/29/08	1314	1x20-mL P	Activity Scan	None

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
	Roy Sickle		5/29/08 1410		SCOTT HANAKER		5/29/08 1410
Relinquished By			Date/Time	Received By			Date/Time
SCOTT HANAKER			5/29/08 1440		RJ LANE	TAL	52908 1440
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S – Soil		DS = Drum Solid	
SE – Sediment		DL = Drum Liqui	
SO – Solid		T = Tissue	
SL – Sludge		WI = Wine	
W – Water		L = Liquid	
O – Oil		V = Vegetation	
A – Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

93

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 5 2908 1440 GM Screen Result 0.1K

Client: PGW SDG #: W05419 NA[ ] SAF #: I08-036 NA [ ]

Work Order Number: J8E290299 Chain of Custody # I08-036-4

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 1
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   - ____ Tape
   - ✓ Custody Seals
   - ____ Hazard Lables
   - ✓ Appropriate Sample Lables
9. Samples are:
   - ✓ In Good Condition
   - ____ Broken
   - ____ Leaking
   - ____ Have Air Bubbles

   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added _____
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: RJL Date: 5 2908

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

J8F020174 WO5419 DUE 71708 KN78H

C.O.C. # **I08-035-141**

Page 1 of 1

Collector R. D. Julian	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. I08-035	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title 100HR3IAM(1/2), MAY 2008	HNF-N-506-12	**Ice Chest No.** **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol CERCLA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
100 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V5L1		W	06-02-08	0919	1x500-mL aG	7196_CR6: Hexavalent Chromium (1)	Cool~4C
B1V5L1		W	"	"	1x20-mL P	Activity Scan	None

Relinquished By R. D. Julian Sign	Date/Time JUN 02 2008 1635	Received By D. J. Sparks Print Sign	Date/Time JUN 02 2008 1635
Relinquished By D. J. Sparks	Date/Time JUN 02 2008 1200	Received By KB Hulse	Date/Time 6-2-08 1200
Relinquished By KB Hulse	Date/Time 6-2-08 1250	Received By LJLANE TAL	Date/Time 6 2 08 1250
Relinquished By	Date/Time	Received By	Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

95

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 6208 1250 GM Screen Result 0.1K

Client: PGW SDG #: W05419 NA[ ] SAF #: I08-035 NA [ ]

Work Order Number: J8F020174 Chain of Custody # I08-035-141

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 1
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   - _____ Tape
   - [✓] Custody Seals
   - _____ Hazard Lables
   - [✓] Appropriate Sample Lables
9. Samples are:
   - [✓] In Good Condition
   - _____ Broken
   - _____ Leaking
   - _____ Have Air Bubbles

   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added _____
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 6208

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

J8F030292 W05419 DUE 71808 KPAJ7

C.O.C. # I08-039-104

Page 1 of 1

Collector R. D. Julian	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. I08-039	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title ISRM, MAY 2008	HNF-N-506-12	**Ice Chest No.** **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol CERCLA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
100 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V6Y4		W	6-3-08	0840	1x500-mL aG	7196_CR6: Hexavalent Chromium (1)	Cool~4C
B1V6Y4		W	1	1	1x20-mL P	Activity Scan	None

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
	R. D. Julian		JUN 03 2008 1425		LJ LANE	TAL	JUN 03 2008 1425
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil	DS = Drum Solid		
SE = Sediment	DL = Drum Liquid		
SO = Solid	T = Tissue		
SL = Sludge	WI = Wine		
W = Water	L = Liquid		
O = Oil	V = Vegetation		
A = Air	X = Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 6308 1425 GM Screen Result 0.1K

Client: PCW SDG #: W05419 NA[ ] SAF #: I08-035 NA [ ]

Work Order Number: 18F030292 Chain of Custody # I08-035-104

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 1
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   - _____ Tape
   - ✓ Custody Seals
   - _____ Hazard Lables
   - ✓ Appropriate Sample Lables
9. Samples are:
   - ✓ In Good Condition
   - _____ Broken
   - _____ Leaking
   - _____ Have Air Bubbles

   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added _____
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 6308

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

J8F040162 WO5419 DUE 7/8/08 KPA60

C.O.C. # **108-038-30**

Page 1 of 1

Collector D. R. Williamson	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869	**MSIN** **FAX**
SAF No. I08-038	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**	
Project Title 2ZP1, MAY 2008	MNF-N-506-16	**Ice Chest No.** ERC-1	**Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**	
Protocol CERCLA	**Priority:** 45 Days	**Offsite Property No.**	

POSSIBLE SAMPLE HAZARDS/REMARKS
** **

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V6F5		W	6/02/08	0949	1x20-mL P	Activity Scan	None
B1V6F5		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
D. R. Williamson			6-3-08 1230	RB Hulse			6-3-08 1230
RB Hulse			6-3-08 1350	LWLANE	TAL		6308 1350
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

99

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST J8F040162 W05419 DUE 71808 KPA64	C.O.C. # I08-038-31 Page 1 of 1

Collector D. R. Williamson	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. I08-038	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title 2ZP1 MAY 2008	Log Book HNF-N-506-16	**Ice Chest No.** ERC-1 **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol CERCLA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V6F6		W	6-2-08	0800	1x20-mL P	Activity Scan	None
B1V6F6		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
D. R. Williamson			6-3-08 1230	RB Hulse			6-3-08 1230
Relinquished By			Date/Time	Received By			Date/Time
RB Hulse			6-3-08 1350	LANE	TAL		6308 1350
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TESTAMERICA

T100

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 6308 1350 GM Screen Result 0.1K

Client: PGW SDG #: W05419 NA[ ] SAF #: I08-038 NA [ ]

Work Order Number: 18F040162 Chain of Custody # I08-038-30,-31

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 2
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   - _____ Tape
   - [✓] Custody Seals
   - _____ Hazard Lables
   - [✓] Appropriate Sample Lables
9. Samples are:
   - [✓] In Good Condition
   - _____ Broken
   - _____ Leaking
   - _____ Have Air Bubbles

   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [✓] pH>2 [ ] pH>9 [ ] Amount HNO_3 Added _____
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 6308

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

J8F040165 W05419 DUE 71808 KPA7M

C.O.C. # **W08-005-304**

Page 1 of 1

Collector D. R. Williamson	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869	**MSIN** **FAX**
SAF No. W08-005	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**	
Project Title RCRA MAY 2008	HNF-N-506-16	**Ice Chest No.** GRP-03-604	**Temp.**
Shipped To (Lab) TestAmerica Incorporated Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**	
Protocol RCRA	**Priority: 45 Days**	**Offsite Property No.**	

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V829		W	6/03/08	1256	1x20-mL P	Activity Scan	None
B1V829		W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None

Relinquished By	Print / Sign	Date/Time	Received By	Print / Sign	Date/Time
D. R. Williamson	David Williamson	JUN 03 2008 1400	R.D. Julian	R.D. Julian	JUN 03 2008 1400
R.D. Julian	R.D. Julian	JUN 03 2008 1425	LVLANE TAL	LVLANE TAL	JUN 03 2008 1425
Relinquished By		Date/Time	Received By		Date/Time
Relinquished By		Date/Time	Received By		Date/Time

Matrix *

S = Soil	DS = Drum Solid	SE = Sediment	DL = Drum Liqui
SO = Solid	T = Tissue	SL = Sludge	WI = Wine
W = Water	L = Liquid	O = Oil	V = Vegetation
A = Air	X = Other		

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

102

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 6308 1425 GM Screen Result 0.1K

Client: PGW SDG #: W05419 NA[ ] SAF #: W08-005 NA [ ]

Work Order Number: 18F040165 Chain of Custody # W08-005-304

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 1
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   - _____ Tape
   - ✓ Custody Seals
   - _____ Hazard Lables
   - ✓ Appropriate Sample Lables
9. Samples are:
   - ✓ In Good Condition
   - _____ Broken
   - _____ Leaking
   - _____ Have Air Bubbles

   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added _____
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 6308

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD

J8F040186 J8F030294 W05419 DUE 71808 KPCC5

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # **I08-035-115**

Page 1 of 1

Collector R. D. Julian	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. I08-035	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title 100HR3IAM(1/2), MAY 2008	HNF-N-504-12	**Ice Chest No.** **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol CERCLA	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
100 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V5J7		W	6-03-08	1240	1x500-mL aG	7196_CR6: Hexavalent Chromium (1)	Cool~4C
B1V5J7		W	"	"	1x20-mL P	Activity Scan	None

Relinquished By	Print / Sign	Date/Time	Received By	Print / Sign	Date/Time
R. D. Julian		JUN 03 2008 1425		W LANE TAL	JUN 03 2008 1425
Relinquished By		Date/Time	Received By		Date/Time
Relinquished By		Date/Time	Received By		Date/Time
Relinquished By		Date/Time	Received By		Date/Time

Matrix *

S – Soil		DS – Drum Solid	
SE – Sediment		DL – Drum Liqui	
SO – Solid		T – Tissue	
SL – Sludge		WI – Wipe	
W – Water		L – Liquid	
O – Oil		V – Vegetation	
A – Air		X – Other	

FINAL SAMPLE DISPOSITION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

104

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 6308 1425 GM Screen Result 0.1K

Client: PAW SDG #: W05419 NA[ ] SAF #: I08-035 NA[ ]

Work Order Number: JBf040186 Chain of Custody # I08-035-115

Shipping Container ID: N/A Air Bill # N/A

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 1
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   - _____ Tape
   - [✓] Custody Seals
   - _____ Hazard Lables
   - [✓] Appropriate Sample Lables
9. Samples are:
   - [✓] In Good Condition
   - _____ Broken
   - _____ Leaking
   - _____ Have Air Bubbles

   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added _____
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 6308

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

J8F050162 W05419 DUE 71808 KPEVW

C.O.C. # **S08-003-176**

Page 1 of 1

Collector D. Woehle	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. S08-003	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title SURV, MARCH 2008	HNF-N-506-12	**Ice Chest No.** **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
Site-Wide Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1TKC2		W	6-4-08	1319	1x1000-mL P	9310_ALPHABETA_GPC: Alpha + Beta (2)	HNO3 to pH <2
B1TKC2		W	"	"	1x20-mL P	Activity Scan	None
B1TKC2		W	"	"	1x500-mL G/P	UTOT_KPA: Uranium (1)	HNO3 to pH <2

Relinquished By	Print / Sign	Date/Time	Received By	Print / Sign	Date/Time
D. Woehle		JUN 04 2008 1350		LJ LANE TAL	JUN 04 2008 1350
Relinquished By		Date/Time	Received By		Date/Time
Relinquished By		Date/Time	Received By		Date/Time
Relinquished By		Date/Time	Received By		Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 6 4 08 1350 GM Screen Result 0, 1K

Client: PGW SDG #: W05419 NA[ ] SAF #: 508-003 NA [ ]

Work Order Number: J8F050162 Chain of Custody # 508-003-176

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 1
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   - _____ Tape
   - ✓ Custody Seals
   - _____ Hazard Lables
   - ✓ Appropriate Sample Lables
9. Samples are:
   - ✓ In Good Condition
   - _____ Broken
   - _____ Leaking
   - _____ Have Air Bubbles

   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [✓] pH>2 [ ] pH>9 [ ] Amount HNO_3 Added _____
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 6 4 08

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST J8F050164 W05419 DUE 71808 KPEV3	C.O.C. # I08-037-79 Page 1 of 1

Collector D. Woehle	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. I08-037	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title 2UP1 MAY 2008	HNF-N-500-12	**Ice Chest No.** **Temp.**
Shipped To (Lab) TestAmerica Incorporated Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
200 Area Generator Knowledge Information Form applies.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1V9T9		W	6-4-08	0930	1x20-mL P	Activity Scan	None
B1V9T9		W	"	"	2x1000-mL G/P	C14_LSC: C-14 (1)	None
B1V9T9		W	"	"	1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1V9T9		W	"	"	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
B1V9T9		W	"	"	2x1000-mL G/P	Selenium-79	HNO3 to pH <2
B1V9T9		W	"	"	1x1000-mL G/P	UISO_PLATE_AEA: List-1 (3)	HNO3 to pH <2
B1V9T9		W	"	"	1x1000-mL G/P	NP237_LLE_PLATE_AEA:Np-237(1)	HNO3 to pH <2

I08

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
D. Woehle			JUN 04 2008 1350		W LANE	THL	JUN 04 2008 1350
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 6408 1350 GM Screen Result 0.1K

Client: PAW SDG #: W05419 NA[ ] SAF #: I08-037 NA [ ]

Work Order Number: J8F050164 Chain of Custody # I08-037

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 1
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   - _____ Tape
   - ✓ Custody Seals
   - _____ Hazard Lables
   - ✓ Appropriate Sample Lables
9. Samples are:
   - ✓ In Good Condition
   - _____ Broken
   - _____ Leaking
   - _____ Have Air Bubbles

   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [✓] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added _____
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: RJL Date: 6408

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

FLUOR HANFORD

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

J8F050177 WO5419 DUE 71808 KPEX6

C.O.C. # S08-001-162

Page 1 of 1

Collector D. Woehle	**Contact/Requester** Steve Trent	**Telephone No.** 509-373-5869 **MSIN** **FAX**
SAF No. S08-001	**Sampling Origin** Hanford Site	**Purchase Order/Charge Code**
Project Title SURV, JANUARY 2008	HNF-N-502-12	**Ice Chest No.** **Temp.**
Shipped To (Lab) TestAmerica Incorporated, Richland	**Method of Shipment** Govt. Vehicle	**Bill of Lading/Air Bill No.**
Protocol SURV	**Priority:** 45 Days	**Offsite Property No.**

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time**
Site-Wide Generator Knowledge Information Form applies.

Total Activity Exemption: Yes ☑ No ☐

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1RTP0		W	6-4-08	1117	1x20-mL P	Activity Scan	None
B1RTP0		W	"	"	3x1000-mL G/P	SRISO_SEP_PRECIP_GPC: Sr-90 (1)	HNO3 to pH <2
B1RTP0		W	"	"	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	None
B1RTP0		W	"	"	1x1000-mL P	9310_ALPHABETA_GPC: Alpha + Beta (2)	HNO3 to pH <2
B1RTP0		W	"	"	1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2

110

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
D. Woehle			JUN 04 2008 1350		LV LANE	TAL	JUN 04 2008 1350
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 6 4 08 1350 GM Screen Result 0.1K

Client: PAW SDG #: W05419 NA[ ] SAF #: 508-001 NA [ ]

Work Order Number: J8F050177 Chain of Custody # 508-001

Shipping Container ID: _____ Air Bill # _____

1. Custody Seals on shipping container intact? NA [ ] Yes [✓] No [ ]
2. Custody Seals dated and signed? NA [ ] Yes [✓] No [ ]
3. Chain of Custody record present? NA [ ] Yes [✓] No [ ]
4. Cooler Temperature: _____ NA [✓] 5. Vermiculite/packing materials is NA [✓] Wet [ ] Dry [ ]
6. Number of samples in shipping container: 1
7. Sample holding times exceeded? NA [✓] Yes [ ] No [ ]
8. Samples have:
   - ____ Tape
   - ✓ Custody Seals
   - ____ Hazard Lables
   - ✓ Appropriate Sample Lables
9. Samples are:
   - ✓ In Good Condition
   - ____ Broken
   - ____ Leaking
   - ____ Have Air Bubbles

   (Only for samples requiring no head space.)
10. Sample pH taken? NA [ ] pH<2 [✓] pH>2 [✓] pH>9 [ ] Amount HNO_3 Added _____
11. Sample Location, Sample Collector Listed? *
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [✓]
13. Description of anomalies (include sample numbers): _____

Sample Custodian: _____ Date: 6 4 08

Client Sample ID	Analysis Requested	Condition	Comments/Action

Client Informed on _____ by _____ Person Contacted _____

[ ] No action necessary; process as is.

Project Manager _____ Date _____

TESTAMERICA

6/18/2008 7:29:02 AM

Sample Preparation/Analysis

Balance Id:1120373922

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

7Y Uiso PrpRC5016/5086, SepRC5067(5039)
SR Uranium-234,235,238 by Alpha Spec
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8164623 **WATER** **pCi/L** **PM, Quote: SS , 57671**

Sep2 DT/Tm Tech:

SEQ Batch, Test: None All Tests: 8164617 AWTA, 8164618 BNTB, 8164621 CYTM, 8164622 KOXW, 8164623 7YSR, 8164624 5SS3,

Prep Tech: WoodT

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 **KN1JT-1-AG**			200.01g,in	200.01g	UITC19833					
J8E280299-1-SAMP					05/19/08,pd 06/15/01,r					
05/27/2008 09:57		AmtRec: 20ML,6XLP,3X4LP		#Containers: 10			Scr:	Alpha: -1.54E-03 uCi/Sa		Beta: 2.66E-03 uCi/Sa
2 **KN1JT-1-AJ-X**			200.01g,in	200.01g	UITC19832					
J8E280299-1-DUP					05/19/08,pd 06/15/01,r					
05/27/2008 09:57		AmtRec: 20ML,6XLP,3X4LP		#Containers: 10			Scr:	Alpha: -1.54E-03 uCi/Sa		Beta: 2.66E-03 uCi/Sa
3 **KN1JX-1-AG**			200.03g,in	200.03g	UITC19867					
J8E280299-2-SAMP					05/20/08,pd 06/15/01,r					
05/27/2008 11:13		AmtRec: 20ML,6XLP,3X4LP		#Containers: 10			Scr:	Alpha: 4.10E-04 uCi/Sa		Beta: -1.24E-04 uCi/Sa
4 **KPEV3-1-AG**			200.03g,in	200.03g	UITC19868					
J8F050164-1-SAMP					05/20/08,pd 06/15/01,r					
06/04/2008 09:30		AmtRec: VIAL20,6XLP,3X4LP		#Containers: 10			Scr:	Alpha: 1.30E-03 uCi/Sa		Beta: -1.04E-03 uCi/Sa
5 **KPVM4-1-AA-B**			200.04g,in	200.04g	UITC19869					
J8F120000-623-BLK					05/20/08,pd 06/15/01,r					
05/27/2008 09:57		AmtRec:		#Containers: 1			Scr:	Alpha:		Beta:
6 **KPVM4-1-AC-C**			200.05g,in	200.05g	UISG1652					
J8F120000-623-LCS					04/23/08,pd 06/15/01,r					
05/27/2008 09:57		AmtRec:		#Containers: 1			Scr:	Alpha:		Beta:

TESTAMERICA

6/18/2008 7:29:04 AM

Sample Preparation/Analysis

7Y Ulso PrpRC5016/5086, SepRC5067(5039)
SR Uranium-234,235,238 by Alpha Spec
5I CLIENT: HANFORD

Balance Id:1120373922

Pipet #: _____

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8164623 pCi/L

SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,WoodT

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: pH < 2.0 JSW 6/18/08

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KN1JT1AG-SAMP Constituent List:

U-232	RDL:	pCi/L	LCL:20	UCL:105	RPD:20	U-234	RDL:1.00E+00	pCi/L	LCL:	UCL:	RPD:
U-235	RDL:1.00E+00	pCi/L	LCL:	UCL:	RPD:	U-238	RDL:1.00E+00	pCi/L	LCL:	UCL:	RPD:

KPVM41AA-BLK:

U-232	RDL:	pCi/L	LCL:20	UCL:105	RPD:20	U-234	RDL:1.00E+00	pCi/L	LCL:	UCL:	RPD:
U-235	RDL:1.00E+00	pCi/L	LCL:	UCL:	RPD:	U-238	RDL:1.00E+00	pCi/L	LCL:	UCL:	RPD:

KPVM41AC-LCS:

U-232	RDL:	pCi/L	LCL:20	UCL:105	RPD:20	Uranium	RDL:	pCi/L	LCL:70	UCL:130	RPD:20

KN1JT1AG-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM41AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM41AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

ICOC Fraction Transfer/Status Report

ByDate: 6/28/2007, 7/2/2008, Batch: '8164623', User: 'ALL Order By DateTimeAccepting

Q	Batch	Work Ord	CurStatus	Accepting			Comments
8164623							
AC			Rev1C	WoodT	6/18/2008 7:04:54		
SC				wagarr	IsBatched	6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC				WcodT	InPrep	6/18/2008 7:04:54 AM	RICH-RC-5016 Revision 7
SC				WcodT	Prep1C	6/18/2008 7:29:27 AM	RICH-RC-5016 REVISION 7
SC				AshworthA	Prep2C	6/19/2008 11:36:14 AM	RICH-RC-5086 REV3
SC				AshworthA	Sep1C	6/19/2008 3:02:46 PM	RICH-RC-5067 REV8
SC				AshworthA	Sep2C	6/20/2008 12:36:02 PM	ALP-015 REVISION 0
SC				DAWKINSO	CalcC	6/20/2008 9:01:27 PM	RL-CI-008 REVISION 0
SC				whelands	Rev1C	6/27/2008 10:37:21 AM	RICH-RC-0002 REV 8
AC				WcodT	6/18/2008 7:29:27		
AC				AshworthA	6/19/2008 11:36:14		
AC				AshworthA	6/19/2008 3:02:46 PM		
AC				AshworthA	6/20/2008 12:36:02		
AC				DAWKINSO	6/20/2008 9:01:27 PM		
AC				whelands	6/27/2008 10:37:21		

AC: Accepting Entry; SC: Status Change

TESTAMERICA

6/24/2008 3:49:51 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

KO Np-237 PrpRC5086, SepRC5064(5003)
XW Neptunium-237 with tracer by alpha spec
5I CLIENT: HANFORD

Pipet #: DRM

AnalyDueDate: 07/21/2008 WDS419

Sep1 DT/Tm Tech: 6/26/08 10:45AM

Batch: 8164622 WATER pCi/L

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: WoodT,HarrisD

Work Ord, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KN1JT-1-AA J8E280299-1-SAMP 05/27/2008 09:57			200.00g,in AmtRec: 20ML,6XLP,3X4LP	200.00g #Containers: 10	NPTA7080 05/15/08,pd 06/01/01,r			200				
										Scr:	Alpha: -1.54E-03 uCi/Sa	Beta: 2.66E-03 uCi/Sa
2 KN1JX-1-AA J8E280299-2-SAMP 05/27/2008 11:13			200.00g,in AmtRec: 20ML,6XLP,3X4LP	200.00g #Containers: 10	NPTA7081 05/15/08,pd 06/01/01,r							
										Scr:	Alpha: 4.10E-04 uCi/Sa	Beta: -1.24E-04 uCi/Sa
3 KN1JX-1-AH-X J8E280299-2-DUP 05/27/2008 11:13			199.90g,in AmtRec: 20ML,6XLP,3X4LP	199.90g #Containers: 10	NPTA7074 05/15/08,pd 06/01/01,r							
										Scr:	Alpha: 4.10E-04 uCi/Sa	Beta: -1.24E-04 uCi/Sa
4 KPEV3-1-AA J8F050164-1-SAMP 06/04/2008 09:30			200.20g,in AmtRec: VIAL20,6XLP,3X4LP	200.20g #Containers: 10	NPTA7082 06/24/08,pd 06/01/01,r							
										Scr:	Alpha: 1.30E-03 uCi/Sa	Beta: -1.04E-03 uCi/Sa
5 KPVM3-1-AA-B J8F120000-622-BLK 05/27/2008 11:13			200.10g,in AmtRec:	200.10g #Containers: 1	NPTA7083 06/24/08,pd 06/01/01,r							
										Scr:	Alpha:	Beta:
6 KPVM3-1-AC-C J8F120000-622-LCS 05/27/2008 11:13			200.00g,in AmtRec:	200.00g #Containers: 1	NPSE0469 05/15/08,pd 06/01/01,r							
										Scr:	Alpha:	Beta:

6/24/2008 3:49:53 PM

Sample Preparation/Analysis

KO Np-237 PrpRC5086, SepRC5064(5003)
XW Neptunium-237 with tracer by alpha spec
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

Sep1 DT/Tm Tech:

Sep2 DT/Tm Tech:

Prep Tech: ,HarrisD

AnalyDueDate: 07/21/2008

Batch: 8164622 pCi/L
SEQ Batch, Test: None

Work Ord, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: pH 2.0 Att 6/24/08

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KN1JT1AA-SAMP Constituent List:
Np-237 RDL:0.6 pCi/L LCL: UCL: RPD:
KPVM31AA-BLK:
Np-237 RDL:0.6 pCi/L LCL: UCL: RPD:
KPVM31AC-LCS:

KN1JT1AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM31AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM31AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

ICOC Fraction Transfer/Status Report

ByDate: 6/28/2007, 7/2/2008, Batch: '8164622', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
8164622						
AC		Rev1C	HarrisD	6/24/2008 3:44:56 PM		
SC			wagarr	IsBatched	6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC			HarrisD	InPrep	6/24/2008 3:44:56 PM	RL-PRP-004 REVISION 0
SC			HarrisD	Prep1C	6/24/2008 3:49:52 PM	RL-PRP-004 REVISION 0
SC			ManisD	Sep2C	6/26/2008 5:34:54 PM	RL-ALP-016 REV 0
SC			DAWKINSO	InCnt1	6/26/2008 6:33:31 PM	RL-CI-008 REVISION 0
SC			ClarkR	CalcC	6/27/2008 12:17:36 PM	RL-CI-008 REVISION 0
SC			whelands	Rev1C	6/27/2008 4:00:10 PM	RICH-RC-0002 REV 8
AC			HarrisD	6/24/2008 3:49:52 PM		
AC			ManisD	6/26/2008 5:34:54 PM		
AC			DAWKINSO	6/26/2008 6:33:31 PM		
AC			ClarkR	6/27/2008 12:17:36		
AC			whelands	6/27/2008 4:00:10 PM		

AC: Accepting Entry; SC: Status Change

TAL Richland

Richland Wa.

Grp Rec Cnt: 6

ICOCFractions v4.8.33

TESTAMERICA

6/20/2008 3:52:31 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AZ Gross Alpha PrpRC5014
S7 Gross Alpha by GPC using Am-241 curve
5I CLIENT: HANFORD

Pipet #: 245

AnalyDueDate: 07/21/2008 W05419

Sep1 DT/Tm Tech:

Batch: 8164615 WATER pCi/L

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,HarrisD | Bock 2

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KPEVW-1-AA J8F050162-1-SAMP 06/04/2008 13:19		142.90g,in AmtRec: VIAL20,500MLP,LP #Containers: 3		1.5	34.6	100	11C	1607	6/26/08	
							Scr:	Alpha: 2.27E-04 uCi/Sa	Beta: -4.14E-06 uCi/Sa	
2 KPEVW-1-AE-X J8F050162-1-DUP 06/04/2008 13:19		142.70g,in AmtRec: VIAL20,500MLP,LP #Containers: 3			35.7		11A	1826	6/26/08 OD	
							Scr:	Alpha: 2.27E-04 uCi/Sa	Beta: -4.14E-06 uCi/Sa	
3 KPEX6-1-AA J8F050177-1-SAMP 06/04/2008 11:17		166.80g,in AmtRec: VIAL20,4XLP,3X4LP #Containers: 8			33.8	50	10F	1517	6/26/08	
							Scr:	Alpha: -3.16E-04 uCi/Sa	Beta: 4.59E-03 uCi/Sa	
4 KPVMT-1-AA-B J8F120000-615-BLK 06/04/2008 13:19		200.20g,in AmtRec: #Containers: 1			1.0	100	10F	1717	6/26/08 OD	
							Scr:	Alpha:	Beta:	
5 KPVMT-1-AC-C J8F120000-615-LCS 06/04/2008 13:19		200.30g,in AmtRec:	asd4496 05/27/08,pd 06/01/01,r #Containers: 1		1.0		10E			
							Scr:	Alpha:	Beta:	

Comments: pH22.0 Aliquot reduced due to wt screens DH 6/20/08

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KPEVW1AA-SAMP Constituent List:
ALPHA RDL:3 pCi/L LCL: UCL: RPD:

Sample Preparation/Analysis

AZ Gross Alpha PrpRC5014
S7 Gross Alpha by GPC using Am-241 curve
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8164615 pCi/L

SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,HarrisD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

KPVMT1AA-BLK:
ALPHA RDL:3 pCi/L LCL: UCL: RPD:
KPVMT1AC-LCS:
Am-241 RDL: pCi/L LCL:70 UCL:130 RPD:20
KPEVW1AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVMT1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVMT1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

TESTAMERICA

ICOC Fraction Transfer/Status Report

ByDate: 7/1/2007, 7/5/2008, Batch: '8164615', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
8164615						
AC		Rev1C	HarrisD	6/20/2008 3:49:51 PM		
SC			wagarr	IsBatched	6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC			HarrisD	InPrep	6/20/2008 3:49:51 PM	RL-PRP-004 REVISION 0
SC			HarrisD	Prep1C	6/20/2008 3:52:33 PM	RL-PRP-004 REVISION 0
SC			BockJ	InPrep2	6/25/2008 7:18:12 AM	RL-GPC-001 REVISION 0
SC			BockJ	Prep2C	6/26/2008 2:08:18 PM	RL-GPC-001 REVISION 0
SC			BlackCL	InCnt1	6/26/2008 2:12:26 PM	RL-CI-006 REVISION 0
SC			DAWKINSO	CalcC	6/26/2008 11:00:08 PM	RL-CI-006 REVISION 0
SC			antonsonl	Rev1C	6/30/2008 9:09:13 AM	RICH-RC-0002 REV 8
AC			HarrisD	6/20/2008 3:52:33 PM		
AC			BockJ	6/25/2008 7:18:12		
AC			BockJ	6/26/2008 2:08:18 PM		
AC			BlackCL	6/26/2008 2:12:26 PM		
AC			DAWKINSO	6/26/2008 11:00:08		
AC			antonsonl	6/30/2008 9:09:13		

AC: Accepting Entry, SC: Status Change

TESTAMERICA

6/20/2008 3:48:49 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BC Gross Beta PrpRC5014
S8 Gross Beta by GPC using Sr/Y-90 curve
5I CLIENT: HANFORD

Pipet #: 245

AnalyDueDate: 07/21/2008 WD5419

Sep1 DT/Tm Tech:

Batch: 8164616 WATER pCi/L

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,HarrisD/Back

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KPEVW-1-AC J8F050162-1-SAMP 06/04/2008 13:19		200.10g,in AmtRec: VIAL20,500MLP,LP	#Containers: 3	1.5	107.9	100	27B	1958	6/26/08	
								Scr:	Alpha: 2.27E-04 uCi/Sa	Beta: -4.14E-06 uCi/Sa
2 KPEX6-1-AC J8F050177-1-SAMP 06/04/2008 11:17		200.30g,in AmtRec: VIAL20,4XLP,3X4LP	#Containers: 8		66.4		27D			
								Scr:	Alpha: -3.16E-04 uCi/Sa	Beta: 4.59E-03 uCi/Sa
3 KPEX6-1-AG-X J8F050177-1-DUP 06/04/2008 11:17		200.20g,in AmtRec: VIAL20,4XLP,3X4LP	#Containers: 8		65.5		6/26/08 28 31A			
								Scr:	Alpha: -3.16E-04 uCi/Sa	Beta: 4.59E-03 uCi/Sa
4 KPVMV-1-AA-B J8F120000-616-BLK 06/04/2008 11:17		200.20g,in AmtRec:	#Containers: 1		0.3		31B			
								Scr:	Alpha:	Beta:
5 KPVMV-1-AC-C J8F120000-616-LCS 06/04/2008 11:17		200.30g,in AmtRec:	besb3263 05/27/08,pd 10/11/06,r #Containers: 1		0.2		31D			
								Scr:	Alpha:	Beta:

Comments: PH220 DH 6/20/08

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KPEVW1AC-SAMP Constituent List:
BETA RDL:4 pCi/L LCL: UCL: RPD:

TAL Richland Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 Page 1 ISV - Insufficient Volume for Analysis WO Cnt: 5
Richland Wa. pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added Prep_SamplePrep v4.8.

Sample Preparation/Analysis

Balance Id:1120482733

BC Gross Beta PrpRC5014
S8 Gross Beta by GPC using Sr/Y-90 curve
5I CLIENT: HANFORD

Pipet #: __ _____

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8164616 pCi/L

SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,HarrisD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

KPVMV1AA-BLK:
BETA RDL:4 pCi/L LCL: UCL: RPD:
KPVMV1AC-LCS:
Sr-90 RDL: pCi/L LCL:70 UCL:130 RPD:20
KPEVW1AC-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVMV1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVMV1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

TESTAMERICA

ICOC Fraction Transfer/Status Report

ByDate: 7/1/2007, 7/5/2008, Batch: '8164616', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting		Comments
8164616					
AC		Rev1C	HarrisD	6/20/2008 3:45:50 PM	
SC			wagarr	IsBatched 6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC			HarrisD	InPrep 6/20/2008 3:45:50 PM	RL-PRP-004 REVISION 0
SC			HarrisD	Prep1C 6/20/2008 3:48:51 PM	RL-PRP-004 REVISION 0
SC			BockJ	InPrep2 6/25/2008 7:18:05 AM	RL-GPC-001 REVISION 0
SC			BockJ	Prep2C 6/26/2008 2:09:05 PM	RL-GPC-001 REVISION 0
SC			BlackCL	InCnt1 6/26/2008 2:12:52 PM	RL-CI-006 REVISION 0
SC			DAWKINSO	CalcC 6/26/2008 11:00:31 PM	RL-CI-006 REVISION 0
SC			antonsonl	Rev1C 6/30/2008 9:07:29 AM	RICH-RC-0002 REV 8
AC			HarrisD	6/20/2008 3:48:51 PM	
AC			BockJ	6/25/2008 7:18:05	
AC			BockJ	6/26/2008 2:09:05 PM	
AC			BlackCL	6/26/2008 2:12:52 PM	
AC			DAWKINSO	6/26/2008 11:00:31	
AC			antonsonl	6/30/2008 9:07:29	

AC: Accepting Entry; SC: Status Change

TESTAMERICA

6/19/2008 7:52:28 AM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

CL Sr-90 Prp/SepRC5006(5071)
TL Sr-85 by NaI and Sr-90 by GPC 7 day ingrowth
5I CLIENT: HANFORD

AnalyDueDate: 07/21/2008

Batch: 8164619 **WATER** **pCi/L**
SEQ Batch, Test: None

PM, Quote: SS , 57671

Balance Id:1120373922
Pipet #: DRM DR
Sep1 DT/Tm Tech: 6/23/08 15:51:0
Sep2 DT/Tm Tech: ~~6/30~~ 0
Prep Tech: ,WoodT 7-1-08 1013

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Tracer Yield	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KPEX6-1-AF J8F050177-1-SAMP YTA18954 Ex:4/29/2009 06/04/2008 11:17		1000.08g,in AmtRec: VIAL20,4XLP,3X4LP	SRTB16237 05/21/08,pd #Containers: 8	1.999 2.0160 0.9816	1.5	021.8	100	9" 5A 5A Scr:	1651 0036 0039 Alpha: -3.16E-04 uCi/Sa	6/23/0807 7/2/08 7/3/08 Beta: 4.59E-03 uCi/Sa	
2 KPEX6-1-AH-X J8F050177-1-DUP YTA18955 Ex:4/29/2009 06/04/2008 11:17		1000.20g,in AmtRec: VIAL20,4XLP,3X4LP	SRTB16238 05/21/08,pd #Containers: 8	1.0178		021.8		3A 5B 5B Scr:	1651 0036 0039 Alpha: -3.16E-04 uCi/Sa	6/23/0800 7/2/08 7/3/08 Beta: 4.59E-03 uCi/Sa	
3 KPVM0-1-AA-B J8F120000-619-BLK YTA18956 Ex:4/29/2009 06/04/2008 11:17		1000.66g,in AmtRec:	SRTB16239 05/21/08,pd #Containers: 1	1.968 / 2.0132 = .9865 7-10-8 0.977 (.99)		022.5		9" 5C 5C Scr:	1736 0036 0039 Alpha:	6/23/0800 7/2/08 7/3/08 Beta:	
4 KPVM0-1-AC-C J8F120000-619-LCS YTA18957 Ex:4/29/2009 06/04/2008 11:17		1000.02g,in AmtRec:	SRSG1486 06/18/08,pd #Containers: 1	0.9403		023.4		3A 5D 5D Scr:	1737 0036 0039 Alpha:	6/23/0805 7/2/08 7/3/08 Beta:	

124

TAL Richland
Richland Wa.

Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added

Page 1

ISV - Insufficient Volume for Analysis

WO Cnt: 4
Prep_SamplePrep v4.8

TESTAMERICA

6/19/2008 7:52:29 AM

Sample Preparation/Analysis

CL Sr-90 Prp/SepRC5006(5071)
TL Sr-85 by Nal and Sr-90 by GPC 7 day ingrowth
5I CLIENT: HANFORD

Balance Id:1120373922

Pipet #: _____

AnalyDueDate: 07/21/2008

Batch: 8164619 pCi/L
SEQ Batch, Test: None

Sep1 DT/Tm Tech:

Sep2 DT/Tm Tech:

Prep Tech: ,WoodT

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Tracer Yield	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: pH < 2.0 6/19/08 JRG

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KPEX61AF-SAMP Constituent List:

Sr-85	RDL:	pCi/L	LCL:20	UCL:105	RPD:20	Sr-90	RDL:2	pCi/L	LCL:70	UCL:130	RPD:20

KPVM01AA-BLK:

Sr-85	RDL:	pCi/L	LCL:20	UCL:105	RPD:20	Sr-90	RDL:2	pCi/L	LCL:	UCL:	RPD:

KPVM01AC-LCS:

Sr-85	RDL:	pCi/L	LCL:20	UCL:105	RPD:20	Sr-90	RDL:2	pCi/L	LCL:70	UCL:130	RPD:20

KPEX61AF-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM01AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM01AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

ICOC Fraction Transfer/Status Report

ByDate: 7/11/2007, 7/15/2008, Batch: '8164619', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
8164619						
AC		Rev1C	WoodT	6/19/2008 7:42:08		
SC			wagarr	IsBatched	6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC			WoodT	InPrep	6/19/2008 7:42:08 AM	RICH-RC-5016 Revision 7
SC			WoodT	Prep1C	6/19/2008 7:52:54 AM	RICH-RC-5016 REVISION 7
SC			ManisD	InSep1	6/20/2008 9:42:22 AM	RL-GPC-003 REV 0
SC			DAWKINSO	InCnt1	6/23/2008 4:24:16 PM	RL-CI-007 REVISION 0
SC			DAWKINSO	Cnt1C	6/23/2008 8:07:32 PM	RL-CI-007 REVISION 0
SC			ManisD	InSep2	6/24/2008 11:05:26 AM	RL-GPC-004 REV 0
SC			McDowellD	Sep1C	7/1/2008 3:49:31 PM	RL-GPC-004 REV 0
SC			DAWKINSO	InCnt2	7/1/2008 4:27:57 PM	RL-CI-006 REVISION 0
SC			BlackCL	CalcC	7/3/2008 7:09:34 AM	RL-CI-006 REVISION 0
SC			nortonj	Rev1C	7/10/2008 10:09:41 AM	RICH-RC-0002 REV 8
AC			WoodT	6/19/2008 7:52:54		
AC			ManisD	6/20/2008 9:42:22		
AC			DAWKINSO	6/23/2008 4:24:16 PM		
AC			DAWKINSO	6/23/2008 8:07:32 PM		
AC			ManisD	6/24/2008 11:05:26		
AC			McDowellD	7/1/2008 3:49:31 PM		
AC			DAWKINSO	7/1/2008 4:27:57 PM		
AC			BlackCL	7/3/2008 7:09:34 AM		
AC			nortonj	7/10/2008 10:09:41		

AC: Accepting Entry; SC: Status Change

TESTAMERICA

6/18/2008 8:07:59 AM

Sample Preparation/Analysis

Balance Id:1120373922

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AW Gamma PrpRC5017
TA Gamma by HPGE
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8164617 WATER pCi/L PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None All Tests: 8164617 AWTA, 8164618 BNTB, 8164621 CYTM, 8164622 KOXW, 8164623 7YSR, 8164624 5SS3,

Prep Tech: WoodT | Back 2

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KN1JT-1-AD J8E280299-1-SAMP 05/27/2008 09:57		2000.01g,in AmtRec: 20ML,6XLP,3X4LP #Containers: 10			100mls	~~[illegible]~~ 200	G5	1102	6/20/08 CB	
							Scr:	Alpha: -1.54E-03 uCi/Sa	Beta: 2.66E-03 uCi/Sa	
2 KN1JX-1-AD J8E280299-2-SAMP 05/27/2008 11:13		2000.09g,in AmtRec: 20ML,6XLP,3X4LP #Containers: 10					G15	1102		
							Scr:	Alpha: 4.10E-04 uCi/Sa	Beta: -1.24E-04 uCi/Sa	
3 KPEV3-1-AD J8F050164-1-SAMP 06/04/2008 09:30		1951.01g,in AmtRec: VIAL20,6XLP,3X4LP #Containers: 10					G11	1103		
							Scr:	Alpha: 1.30E-03 uCi/Sa	Beta: -1.04E-03 uCi/Sa	
4 KPEV3-1-AH-X J8F050164-1-DUP 06/04/2008 09:30		1949.67g,in AmtRec: VIAL20,6XLP,3X4LP #Containers: 10					G14	1104		
							Scr:	Alpha: 1.30E-03 uCi/Sa	Beta: -1.04E-03 uCi/Sa	
5 KPEX6-1-AD J8F050177-1-SAMP 06/04/2008 11:17		2000.86g,in AmtRec: VIAL20,4XLP,3X4LP #Containers: 8					G7	1104		
							Scr:	Alpha: -3.16E-04 uCi/Sa	Beta: 4.59E-03 uCi/Sa	
6 KPVMW-1-AA-B J8F120000-617-BLK 06/04/2008 09:30		2000.01g,in AmtRec: #Containers: 1					G10	1104		
							Scr:	Alpha:	Beta:	
7 KPVMW-1-AC-C J8F120000-617-LCS 06/04/2008 09:30		2000.71g,in AmtRec: #Containers: 1	QCAG1483 04/23/08,pd 06/14/05,r				G6	1105		
							Scr:	Alpha:	Beta:	

TAL Richland Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 Page 1 ISV - Insufficient Volume for Analysis WO Cnt: 7
Richland Wa. pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added Prep_SamplePrep v4.8

6/18/2008 8:08:00 AM

Sample Preparation/Analysis

AW Gamma PrpRC5017
TA Gamma by HPGE
5I CLIENT: HANFORD

Balance Id:1120373922

Pipet #:

Sep1 DT/Tm Tech:

Sep2 DT/Tm Tech:

Prep Tech: ,WoodT

AnalyDueDate: 07/21/2008

Batch: 8164617 pCi/L
SEQ Batch, Test: None

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: pH < 2.0 6/18/08 TSV

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KN1JT1AD-SAMP Constituent List:

Co-60	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Cs-134	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:
Cs-137	RDL:6.00E+00	pCi/L	LCL:70	UCL:130	RPD:20	Cs-137DA	RDL:6.00E+00	pCi/L	LCL:70	UCL:130	RPD:20
Eu-154	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Eu-155	RDL:.00E+00	pCi/L	LCL:	UCL:	RPD:
K-40	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Sb-125	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:

KPVMW1AA-BLK:

Co-60	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Cs-134	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:
Cs-137	RDL:6.00E+00	pCi/L	LCL:	UCL:	RPD:	Cs-137DA	RDL:6.00E+00	pCi/L	LCL:	UCL:	RPD:
Eu-154	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Eu-155	RDL:.00E+00	pCi/L	LCL:	UCL:	RPD:
K-40	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Sb-125	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:

KPVMW1AC-LCS:

Cs-137	RDL:15	pCi/L	LCL:70	UCL:130	RPD:20	Cs-137DA	RDL:15	pCi/L	LCL:70	UCL:130	RPD:20
K-40	RDL:6	pCi/L	LCL:70	UCL:130	RPD:20	Ra-226	RDL:--	pCi/L	LCL:70	UCL:130	RPD:20
RA-228	RDL:--	pCi/L	LCL:70	UCL:130	RPD:20	RA-228DA	RDL:--	pCi/L	LCL:70	UCL:130	RPD:20
U-238	RDL:--	pCi/L	LCL:70	UCL:130	RPD:20						

KN1JT1AD-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

KPVMW1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

KPVMW1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

6/30/2008 9:05:38 AM

ICOC Fraction Transfer/Status Report

ByDate: 7/1/2007, 7/5/2008, Batch: '8164617', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting		Comments
8164617					
AC		Rev1C	WoodT	6/18/2008 7:44:35	
SC			wagarr IsBatched	6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC			WoodT InPrep	6/18/2008 7:44:35 AM	RICH RC 5017 REVISION 6
SC			WoodT Prep1C	6/18/2008 8:03:30 AM	RICH RC 5017 REVISION 6
SC			BockJ InPrep2	6/18/2008 10:09:05 AM	RICH-RC-5017 REVISION 6
SC			BlackCL InCnt1	6/20/2008 7:01:54 AM	RL-CI-007 REVISION 0
SC			BockJ Prep2C	6/20/2008 9:53:26 AM	RL-GAM-001 REVISION 0
SC			ClarkR CalcC	6/20/2008 12:19:48 PM	RL-CI-007 REVISION 0
SC			antonsonl Rev1C	6/30/2008 9:05:06 AM	RICH-RC-0002 REV 8
AC			WoodT	6/18/2008 8:03:30	
AC			BockJ	6/18/2008 10:09:05	
AC			BlackCL	6/20/2008 7:01:54	
AC			BockJ	6/20/2008 9:53:26	
AC			ClarkR	6/20/2008 12:19:48	
AC			antonsonl	6/30/2008 9:05:06	

*AC: Accepting Entry; SC: Status Change

TESTAMERICA

6/24/2008 1:43:36 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BN I-129 Prp/SepRC5025
TB Gamma by LEPD
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 07/21/2008 W0519

Sep1 DT/Tm Tech:

Batch: 8164618 WATER pCi/L

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,HarrisD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KNTWQ-1-AA J8E230328-1-SAMP 05/20/2008 13:22	3864.50g,in AmtRec: VIAL20,2X4LP	ITA7354 06/16/08 #Containers: 3			36.8	100	LH	807 Scr: Alpha: -4.01E-04 uCi/Sa	6/19 CC Beta: -2.32E-04 uCi/Sa	
2 KNTWQ-1-AC-X J8E230328-1-DUP 05/20/2008 13:22	3863.70g,in AmtRec: VIAL20,2X4LP	ITA7355 06/16/08 #Containers: 3			35.2		L5	1807 Scr: Alpha: -4.01E-04 uCi/Sa	Beta: -2.32E-04 uCi/Sa	
3 KNTW6-1-AA J8E230328-2-SAMP 05/20/2008 12:50	3852.60g,in AmtRec: VIAL20,2X4LP	ITA7356 06/16/08 #Containers: 3			34.1		L2	1807 Scr: Alpha: -1.13E-03 uCi/Sa	Beta: 5.63E-04 uCi/Sa	
4 KN1HA-1-AA J8E280293-1-SAMP 05/27/2008 14:01	3893.70g,in AmtRec: 20ML2X4LP	ITA7357 06/16/08 #Containers: 3			33.8		L2	1956 Scr: Alpha: -5.16E-04 uCi/Sa	6/20 800 Beta: 5.63E-04 uCi/Sa	
5 KN1HP-1-AA J8E280295-1-SAMP 05/27/2008 12:10	3756.80g,in AmtRec: 20ML2X4LP	ITA7358 06/16/08 #Containers: 3			34.0		LH	1958 Scr: Alpha: -7.38E-05 uCi/Sa	Beta: 1.45E-03 uCi/Sa	
6 KN1HQ-1-AA J8E280295-2-SAMP 05/27/2008 12:10	3784.30g,in AmtRec: 20ML2X4LP	ITA7359 06/16/08 #Containers: 3			34.5		L5	1958 Scr: Alpha: -5.24E-04 uCi/Sa	Beta: 1.71E-03 uCi/Sa	
7 KN1JT-1-AE J8E280299-1-SAMP 05/27/2008 09:57	3857.90g,in AmtRec: 20ML,6XLP,3X4LP	ITA7361 06/16/08 #Containers: 10			33.8		L2	2141 Scr: Alpha: -1.54E-03 uCi/Sa	Beta: 2.66E-03 uCi/Sa	

130

TAL Richland
Richland Wa.

Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2
pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added

ISV - Insufficient Volume for Analysis

WO Cnt: 7

Prep_SamplePrep v4.8

TESTAMERICA

6/24/2008 1:43:37 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BN I-129 Prp/SepRC5025
TB Gamma by LEPD
5I CLIENT: HANFORD

Pipet #:

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8164618 WATER pCi/L

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,HarrisD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 KN1JX-1-AE J8E280299-2-SAMP 05/27/2008 11:13		3884.60g,in AmtRec: 20ML,6XLP,3X4LP	ITA7360 06/16/08 #Containers: 10		34.7	100	L4 Scr:	2143 Alpha: 4.10E-04 uCi/Sa	7/2/08 MD Beta: -1.24E-04 uCi/Sa	
9 KN1KG-1-AA J8E280299-3-SAMP 05/27/2008 13:18		3881.80g,in AmtRec: 20ML,4LP	ITA7362 06/16/08 #Containers: 3		34.0		L5 Scr:	 Alpha: -3.04E-04 uCi/Sa	 Beta: -4.97E-04 uCi/Sa	
10 KN1KP-1-AA J8E280299-4-SAMP 05/27/2008 13:18		3892.70g,in AmtRec: 20ML,4LP	ITA7363 06/16/08 #Containers: 3		33.7		L2 Scr:	2336 Alpha: -1.20E-03 uCi/Sa	 Beta: 1.80E-03 uCi/Sa	
11 KN1KX-1-AA J8E280299-5-SAMP 05/27/2008 14:40		3881.60g,in AmtRec: 20ML,4LP	ITA7364 06/16/08 #Containers: 3		35.1		L4 Scr:	2338 Alpha: -4.36E-04 uCi/Sa	 Beta: 8.28E-04 uCi/Sa	
12 KPA60-1-AA J8F040162-1-SAMP 06/02/2008 09:49		3901.00g,in AmtRec: VIAL20,2X4LP	ITA7365 06/16/08 #Containers: 3		35.4		L5 Scr:	 Alpha: 8.02E-04 uCi/Sa	 Beta: -6.41E-04 uCi/Sa	
13 KPA64-1-AA J8F040162-2-SAMP 06/02/2008 08:00		3868.00g,in AmtRec: VIAL20,2X4LP	ITA7366 06/16/08 #Containers: 3		34.9		L2 Scr:	0657 Alpha: 2.44E-04 uCi/Sa	7/3/08 Beta: -3.76E-04 uCi/Sa	
14 KPA7M-1-AA J8F040165-1-SAMP 06/03/2008 12:56		3911.50g,in AmtRec: VIAL20,2X4LP	ITA7367 06/16/08 #Containers: 3		34.5		L4 Scr:	0652 Alpha: 7.35E-04 uCi/Sa	 Beta: 5.97E-04 uCi/Sa	

131

TESTAMERICA

6/24/2008 1:43:38 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BN I-129 Prp/SepRC5025
TB Gamma by LEPD
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8164618 **WATER** **pCi/L**

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: ,HarrisD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
15 KPEV3-1-AE J8F050164-1-SAMP		3863.20g,in	ITA7368 06/16/08		34.4	100	L5	0653	7/3/08	
06/04/2008 09:30		AmtRec: VIAL20,6XLP,3X4LP	#Containers: 10				Scr:	Alpha: 1.30E-03 uCi/Sa		Beta: -1.04E-03 uCi/Sa
16 KPEX6-1-AE J8F050177-1-SAMP		3893.80g,in	ITA7369 06/16/08		34.7		L2	0837		
06/04/2008 11:17		AmtRec: VIAL20,4XLP,3X4LP	#Containers: 8				Scr:	Alpha: -3.16E-04 uCi/Sa		Beta: 4.59E-03 uCi/Sa
17 KPVMX-1-AA-B J8F120000-618-BLK		3966.80g,in	ITA7370 06/16/08		34.1		L4	0838		
05/20/2008 13:22		AmtRec:	#Containers: 1				Scr:	Alpha:		Beta:
18 KPVMX-1-AC-C J8F120000-618-LCS		3976.10g,in	ISD0855 04/22/08		32.1		L5	0838		
05/20/2008 13:22		AmtRec:	#Containers: 1				Scr:	Alpha:		Beta:

132

Comments: DH 6/24/08

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KNTWQ1AA-SAMP Constituent List:
I-129 RDL:1.00E+00 pCi/L LCL: UCL: RPD:
KPVMX1AA-BLK:
I-129 RDL:1.00E+00 pCi/L LCL: UCL: RPD:
KPVMX1AC-LCS:
I-129 RDL:5 pCi/L LCL:70 UCL:130 RPD:20
KNTWQ1AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

6/24/2008 1:43:39 PM

Sample Preparation/Analysis

BN I-129 Prp/SepRC5025
TB Gamma by LEPD
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8164618 **pCi/L**
SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,HarrisD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

KPVMX1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

KPVMX1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

ICOC Fraction Transfer/Status Report

ByDate: 7/11/2007, 7/15/2008, Batch: '8164618', User: *ALL Order By DateTimeAccepting

Q	Batch	Work Ord	CurStatus	Accepting		Comments
8164618						
AC			Rev1C	HarrisD	6/24/2008 1:10:15 PM	
SC				wagarr	IsBatched 6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC				HarrisD	InPrep 6/24/2008 1:10:15 PM	RL-PRP-004 REVISION 0
SC				HarrisD	Prep1C 6/24/2008 1:44:02 PM	RL-PRP-004 REVISION 0
SC				BostedD	InPrep2 6/30/2008 10:57:42 AM	RL-GAM-002 REVISION 0
SC				BostedD	Prep2C 7/2/2008 4:24:07 PM	RL-GAM-002 REVISION 0
SC				DAWKINSO	InCnt1 7/2/2008 4:28:07 PM	RL-CI-007 REVISION 0
SC				BlackCL	CalcC 7/3/2008 9:10:33 AM	RL-CI-007 REVISION 0
SC				antonsonl	Rev1C 7/10/2008 2:47:33 PM	RICH-RC-0002 REV 8
AC				HarrisD	6/24/2008 1:44:02 PM	
AC				BostedD	6/30/2008 10:57:42	
AC				BostedD	7/2/2008 4:24:07 PM	
AC				DAWKINSO	7/2/2008 4:28:07 PM	
AC				BlackCL	7/3/2008 9:10:33 AM	
AC				antonsonl	7/10/2008 2:47:33 PM	

AC: Accepting Entry; SC: Status Change

TAL Richland

Richland Wa.

Grp Rec Cnt: 7

ICOCFractions v4.8.33

TESTAMERICA

6/24/2008 4:13:22 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

CY Se-79 PrpRC5016, SepRC5043
TM Selenium-79 by Liquid Scint
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 07/21/2008 W05419

Sep1 DT/Tm Tech:

Batch: 8164621 WATER pCi/L

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: WoodT,HarrisD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Tracer Yield	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KN1JT-1-AF J8E280299-1-SAMP 05/27/2008 09:57		200.00g,in AmtRec: 20ML,6XLP,3X4LP #Containers: 10	SETA0267 04/11/08		50		Scr: Alpha: -1.54E-03 uCi/Sa Beta: 2.66E-03 uCi/Sa		
2 KN1JT-1-AH-X J8E280299-1-DUP 05/27/2008 09:57		199.90g,in AmtRec: 20ML,6XLP,3X4LP #Containers: 10	SETA0268 04/11/08				Scr: Alpha: -1.54E-03 uCi/Sa Beta: 2.66E-03 uCi/Sa		
3 KN1JX-1-AF J8E280299-2-SAMP 05/27/2008 11:13		199.90g,in AmtRec: 20ML,6XLP,3X4LP #Containers: 10	SETA0269 06/24/08				Scr: Alpha: 4.10E-04 uCi/Sa Beta: -1.24E-04 uCi/Sa		
4 KPEV3-1-AF J8F050164-1-SAMP 06/04/2008 09:30		200.30g,in AmtRec: VIAL20,6XLP,3X4LP #Containers: 10	SETA0270 06/24/08				Scr: Alpha: 1.30E-03 uCi/Sa Beta: -1.04E-03 uCi/Sa		
5 KPVM2-1-AA-B J8F120000-621-BLK 05/27/2008 09:57		200.20g,in AmtRec: #Containers: 1	SETA0271 06/24/08				Scr: Alpha: Beta:		
6 KPVM2-1-AC-BN J8F120000-621-IBLK 05/27/2008 09:57		AmtRec: #Containers: 1					Scr: Alpha: Beta:		

135

TESTAMERICA

6/24/2008 4:13:24 PM

Sample Preparation/Analysis

CY Se-79 PrpRC5016, SepRC5043
TM Selenium-79 by Liquid Scint
5I CLIENT: HANFORD

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

AnalyDueDate: 07/21/2008

Batch: 8164621 pCi/L
SEQ Batch, Test: None

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Tracer Yield	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: PH220 AH 6/24/08

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KN1JT1AF-SAMP Constituent List:
Se-79 RDL:3.00E+01 pCi/L LCL: UCL: RPD:
KPVM21AA-BLK:
Se-79 RDL:3.00E+01 pCi/L LCL: UCL: RPD:
KPVM21AC-IBLK:
Se-79 RDL:3.00E+01 pCi/L LCL: UCL: RPD:
KN1JT1AF-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM21AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM21AC-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

136

ICOC Fraction Transfer/Status Report

ByDate: 7/19/2007, 7/23/2008, Batch: '8164621', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting		Comments
8164621					
AC		Rev1C	HarrisD	6/24/2008 4:07:27 PM	
SC			wagarr	IsBatched 6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC			HarrisD	InPrep 6/24/2008 4:07:27 PM	RL-PRP-004 REVISION 0
SC			HarrisD	Prep1C 6/24/2008 4:13:23 PM	RL-PRP-004 REVISION 0
SC			ManisD	InSep1 7/1/2008 8:04:03 AM	LSC-012 REV 0
SC			BlackCL	InCnt1 7/3/2008 9:41:25 AM	RL-CI-005 REVISION 0
SC			BlackCL	CalcC 7/8/2008 9:44:25 AM	RL-CI-005 REVISION 0
SC			nortonj	Rev1C 7/18/2008 10:29:02 AM	RICH-RC-0002 REV 8
AC			HarrisD	6/24/2008 4:13:23 PM	
AC			ManisD	7/1/2008 8:04:03 AM	
AC			BlackCL	7/3/2008 9:41:25 AM	
AC			BlackCL	7/8/2008 9:44:25 AM	
AC			nortonj	7/18/2008 10:29:02	

AC: Accepting Entry; SC: Status Change

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

RE-ANALYSIS REQUEST

DUE DATE 7/21/08

CUSTOMER PGW

ANALAYSIS 8 79

MATRIX Water

LOT NUMBER J8E280299

SAMPLE DELIVERY GROUP

OLD BATCH NUMBER 8164621

NEW BATCH NUMBER 8192442

LAB SAMPLE ID	CLIENT ID	REASON FOR REQUEST & ANALYSIS COMMENTS
1) KPEV31AF		CRDL not met due to low yield
2)		
3)		
4)		
5)		
6)		
7)		
8)		
9)		
10)		
11)		
12)		
13)		
14)		
15)		
16)		
17)		
18)		
19)		
20)		
LAB QC ID		Assigned with new batch.

RC-048, 12/07, Rev 8

TESTAMERICA

7/11/2008 10:46:20 AM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

CY Se-79 PrpRC5016, SepRC5043
TM Selenium-79 by Liquid Scint
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8192442 WATER pCi/L PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None All Tests: 8164617 AWTA, 8164618 BNTB, 8164621 CYTM, 8164622 KOXW, 8164623 7YSR, 8164624 5SS3, 8192442 CYTM,

Prep Tech: ,HarrisD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Tracer Yield	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KPEV3-2-AF J8F050164-1-SAMP 06/04/2008 09:30		200.00g,in AmtRec: VIAL20,6XLP,3X4LP	SETA0279 06/24/08 #Containers: 10		7/11/08 50		Scr: Alpha: 1.30E-03 uCi/Sa		Beta: -1.04E-03 uCi/Sa
2 KRCQM-1-AA-B J8G100000-442-BLK 06/04/2008 09:30		200.20g,in AmtRec:	SETA0280 06/24/08 #Containers: 1				Scr: Alpha:		Beta:
3 KRCQM-1-AD-BN J8G100000-442-IBLK 06/04/2008 09:30		AmtRec:	#Containers: 1				Scr: Alpha:		Beta:

Comments: pH20.0 DH 7/11/08

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KPEV32AF-SAMP Constituent List:
Se-79 RDL:3.00E+01 pCi/L LCL: UCL: RPD:
KRCQM1AA-BLK Constituent List:
Se-79 RDL:3.00E+01 pCi/L LCL: UCL: RPD:
KRCQM1AD-IBLK:
Se-79 RDL:3.00E+01 pCi/L LCL: UCL: RPD:
KPEV32AF-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KRCQM1AA-BLK Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KRCQM1AD-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Sample Preparation/Analysis

CY Se-79 PrpRC5016, SepRC5043
TM Selenium-79 by Liquid Scint
5I CLIENT: HANFORD

AnalyDueDate: 07/21/2008

Batch: 8192442 pCi/L
SEQ Batch, Test: None

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Tracer Yield	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Approved By _____ **Date:** _____

ICOC Fraction Transfer/Status Report

ByDate: 7/19/2007, 7/23/2008, Batch: '8192442', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
8192442						
AC		Rev1C	HarrisD	7/11/2008 10:43:20		
SC			antonsonl	IsBatched	7/10/2008 3:21:39 PM	ICOC_RADCALC v4.8.32
SC			HarrisD	InPrep	7/11/2008 10:43:20 AM	RL-PRP-004 REVISION 0
SC			HarrisD	Prep1C	7/11/2008 10:46:38 AM	RL-PRP-004 REVISION 0
SC			ManisD	Sep1C	7/16/2008 3:54:09 PM	RL-LSC-012 REV 0
SC			DAWKINSO	InCnt1	7/16/2008 4:14:59 PM	RL-CI-005 REVISION 0
SC			DAWKINSO	CalcC	7/17/2008 9:27:23 PM	RL-CI-005 REVISION 0
SC			nortonj	Rev1C	7/18/2008 10:33:09 AM	RICH-RC-0002 REV 8
AC			HarrisD	7/11/2008 10:46:38		
AC			ManisD	7/16/2008 3:54:09 PM		
AC			DAWKINSO	7/16/2008 4:14:59 PM		
AC			DAWKINSO	7/17/2008 9:27:23 PM		
AC			nortonj	7/18/2008 10:33:09		

TESTAMERICA

6/13/2008 8:10:59 AM

Sample Preparation/Analysis

Balance Id: N/A

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

WO5419

5S C-14 Prp/SepRC5022
S3 Carbon-14 by Liquid Scint
5I CLIENT: HANFORD

Pipet #:

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech: 6-20-08 am

Batch: 8164624 **WATER** **pCi/L** **PM, Quote: SS , 57671**

SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KN1JT-1-AC								
J8E280299-1-SAMP								
05/27/2008 09:57		AmtRec: 20ML,6XLP,3X4LP	#Containers: 10			Scr:	Alpha: -1.54E-03 uCi/Sa	Beta: 2.66E-03 uCi/Sa
2 KN1JX-1-AC								
J8E280299-2-SAMP								
05/27/2008 11:13		AmtRec: 20ML,6XLP,3X4LP	#Containers: 10			Scr:	Alpha: 4.10E-04 uCi/Sa	Beta: -1.24E-04 uCi/Sa
3 KN1JX-1-AJ-X								
J8E280299-2-DUP								
05/27/2008 11:13		AmtRec: 20ML,6XLP,3X4LP	#Containers: 10			Scr:	Alpha: 4.10E-04 uCi/Sa	Beta: -1.24E-04 uCi/Sa
4 KPEV3-1-AC								
J8F050164-1-SAMP								
06/04/2008 09:30		AmtRec: VIAL20,6XLP,3X4LP	#Containers: 10			Scr:	Alpha: 1.30E-03 uCi/Sa	Beta: -1.04E-03 uCi/Sa
5 KPVM5-1-AA-B								
J8F120000-624-BLK								
05/27/2008 11:13		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:
6 KPVM5-1-AC-C								
J8F120000-624-LCS								
05/27/2008 11:13		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:
7 KPVM5-1-AD-BN								
J8F120000-624-IBLK								
05/27/2008 11:13		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:

TAL Richland
Richland Wa.

Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added

Page 1

ISV - Insufficient Volume for Analysis

WO Cnt: 7

ICOC v4.8.

TESTAMERICA

6/13/2008 8:10:59 AM

Sample Preparation/Analysis

5S C-14 Prp/SepRC5022
S3 Carbon-14 by Liquid Scint
5I CLIENT: HANFORD

Balance Id: N/A
Pipet #:
Sep1 DT/Tm Tech: 6 20 08 am
Sep2 DT/Tm Tech:
Prep Tech:

AnalyDueDate: 07/21/2008

Batch: 8164624 pCi/L
SEQ Batch, Test: None

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments:

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KN1JT1AC-SAMP Constituent List:
C-14 RDL:2.00E+02 pCi/L LCL:70 UCL:130 RPD:20
KPVM51AA-BLK:

KPVM51AC-LCS:

KPVM51AD-IBLK:

KN1JT1AC-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM51AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM51AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM51AD-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

ICOC Fraction Transfer/Status Report

ByDate: 6/26/2007, 6/30/2008, Batch: '8164624', User: *ALL Order By DateTimeAccepting

Batch	Work Ord	CurStatus	Accepting			Comments
8164624						
AC		Rev1C	McDowellD	6/23/2008 2:13:52 PM		
SC			wagarr	IsBatched	6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC			McDowellD	Sep1C	6/23/2008 2:13:52 PM	RL-LSC-008 REVISION 0
SC			ClarkR	InCnt1	6/23/2008 2:28:34 PM	RL-CI-005 REVISION 0
SC			ClarkR	CalcC	6/24/2008 8:26:35 AM	RL-CI-005 REVISION 0
SC			antonsonl	Rev1C	6/25/2008 11:06:38 AM	RICH-RC-0002 REV 8
AC			ClarkR	6/23/2008 2:28:34 PM		
AC			ClarkR	6/24/2008 8:26:35		
AC			antonsonl	6/25/2008 11:06:38		

AC: Accepting Entry; SC: Status Change

TESTAMERICA

6/25/2008 9:12:50 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

DH UNat_Laser PrpRC5015
SS Total Uranium by KPA
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 07/21/2008 W0S419

Sep1 DT/Tm Tech:

Batch: 8164620 WATER ug/L
SEQ Batch, Test: None

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

Prep Tech: ,HarrisD | Back

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KPEVW-1-AD J8F050162-1-SAMP 06/04/2008 13:19		25.10g,in AmtRec: VIAL20,500MLP,LP	#Containers: 3			Scr:	Alpha: 2.27E-04 uCi/Sa	Beta: -4.14E-06 uCi/Sa
2 KPEVW-1-AF-S J8F050162-1-MS 06/04/2008 13:19		25.00g,in AmtRec: VIAL20,500MLP,LP	UNSF4247 05/22/08,pd 02/01/96,r #Containers: 3			Scr:	Alpha: 2.27E-04 uCi/Sa	Beta: -4.14E-06 uCi/Sa
3 KPEVW-1-AG-X J8F050162-1-DUP 06/04/2008 13:19		25.10g,in AmtRec: VIAL20,500MLP,LP	#Containers: 3			Scr:	Alpha: 2.27E-04 uCi/Sa	Beta: -4.14E-06 uCi/Sa
4 KPVM1-1-AA-B J8F120000-620-BLK 06/04/2008 13:19		25.10g,in AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:
5 KPVM1-1-AC-C J8F120000-620-LCS 06/04/2008 13:19		25.20g,in AmtRec:	UNSF4248 05/22/08,pd 02/01/96,r #Containers: 1			Scr:	Alpha:	Beta:
6 KPVM1-1-AD-C J8F120000-620-LCS 06/04/2008 13:19		25.20g,in AmtRec:	UNSC2527 05/22/08,pd 02/22/05,r #Containers: 1			Scr:	Alpha:	Beta:

TAL Richland
Richland Wa.

Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 Page 1
pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added

ISV - Insufficient Volume for Analysis

WO Cnt: 6
Prep_SamplePrep v4.8

TESTAMERICA

6/25/2008 9:12:51 PM

Sample Preparation/Analysis

DH UNat_Laser PrpRC5015
SS Total Uranium by KPA
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 07/21/2008

Sep1 DT/Tm Tech:

Batch: 8164620 ug/L

SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,HarrisD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments: Pth2.0 DLH 6/25/08

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KPEVW1AD-SAMP Constituent List:
Uranium RDL:1.44E-01 ug/L LCL: UCL: RPD:
KPEVW1AF-MS Constituent List:

KPVM11AA-BLK:
Uranium RDL:1.44E-01 ug/L LCL: UCL: RPD:
KPVM11AC-LCS:
Uranium RDL:0.144343 ug/L LCL:70 UCL:130 RPD:20
KPVM11AD-LCS:
Uranium RDL:0.144343 ug/L LCL:70 UCL:130 RPD:20

KPEVW1AD-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPEVW1AF-MS Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM11AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM11AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPVM11AD-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

ICOC Fraction Transfer/Status Report

ByDate: 7/17/2007, 7/21/2008, Batch: '8164620', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting		Comments
8164620					
AC		Rev1C	HarrisD	6/25/2008 9:09:57 PM	
SC			vagarr	IsBatched 6/13/2008 8:19:38 AM	ICOC_RADCALC v4.8.32
SC			HarrisD	InPrep 6/25/2008 9:09:57 PM	RL-PRP-004 REVISION 0
SC			BockJ	InPrep2 7/10/2008 7:57:41 AM	RL-KPA-001 REVISION 0
SC			BockJ	Prep2C 7/15/2008 10:40:58 AM	RL-KPA-001 REVISION 0
SC			NelsonT	Cnt1C 7/15/2008 3:28:38 PM	RL-KPA-003 REVISION 0
SC			nortonj	Rev1C 7/16/2008 12:56:28 PM	RICH-RC-0002 REV 8
AC			BockJ	7/10/2008 7:57:41	
AC			BockJ	7/15/2008 10:40:58	
AC			NelsonT	7/15/2008 3:28:38 PM	
AC			NelsonT	7/15/2008 3:46:04 PM	
AC			nortonj	7/16/2008 12:56:28	

AC: Accepting Entry; SC: Status Change

TESTAMERICA

5/30/2008 11:49:40 AM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

88 NO SAMPLE PREPARATION PERFORMED / DIRECT INJECTION
EA Chromium, Hexavalent (7196A)
5I CLIENT: HANFORD

AnalyDueDate: 07/14/2008

Batch: 8151262 WATER mg/L
SEQ Batch, Test: None All Tests: 8151262 88EA,

PM, Quote: SS , 57671

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

1 KN3T7-1-AA

J8E290299-1-SAMP

05/29/2008 13:14 AmtRec: VIAL20,500G #Containers: 2 Scr: Alpha: Beta:

2 KN3T7-1-AC-S

J8E290299-1-MS

05/29/2008 13:14 AmtRec: VIAL20,500G #Containers: 2 Scr: Alpha: Beta:

3 KN3T7-1-AD-D

J8E290299-1-MSD

05/29/2008 13:14 AmtRec: VIAL20,500G #Containers: 2 Scr: Alpha: Beta:

4 KN3T7-1-AE-X

J8E290299-1-DUP

05/29/2008 13:14 AmtRec: VIAL20,500G #Containers: 2 Scr: Alpha: Beta:

5 KN49G-1-AA-B

J8E300000-262-BLK

05/29/2008 13:14 AmtRec: #Containers: 1 Scr: Alpha: Beta:

6 KN49G-1-AC-C

J8E300000-262-LCS

05/29/2008 13:14 AmtRec: #Containers: 1 Scr: Alpha: Beta:

5/30/2008 11:49:41 AM

Sample Preparation/Analysis

88 NO SAMPLE PREPARATION PERFORMED / DIRECT INJECTION
EA Chromium, Hexavalent (7196A)
5I CLIENT: HANFORD

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

AnalyDueDate: 07/14/2008

Batch: 8151262 mg/L
SEQ Batch, Test: None

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments:

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KN3T71AA-SAMP Constituent List:

KN3T71AC-MS Constituent List:

KN3T71AD-MSD:

KN49G1AA-BLK:

KN49G1AC-LCS:

KN3T71AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KN3T71AC-MS Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KN3T71AD-MSD:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KN49G1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KN49G1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

TESTAMERICA

6/2/2008 3:51:52 PM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

88 NO SAMPLE PREPARATION PERFORMED / DIRECT INJECTION
EA Chromium, Hexavalent (7196A)
5I CLIENT: HANFORD

AnalyDueDate: 07/17/2008

Batch: 8154426 WATER mg/L
SEQ Batch, Test: None

PM, Quote: SS , 57671

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KN78H-1-AA J8F020174-1-SAMP 06/02/2008 09:19		AmtRec: VIAL20,500G	#Containers: 2			Scr:	Alpha:	Beta:
2 KN78H-1-AC-S J8F020174-1-MS 06/02/2008 09:19		AmtRec: VIAL20,500G	#Containers: 2			Scr:	Alpha:	Beta:
3 KN78H-1-AD-D J8F020174-1-MSD 06/02/2008 09:19		AmtRec: VIAL20,500G	#Containers: 2			Scr:	Alpha:	Beta:
4 KN78H-1-AE-X J8F020174-1-DUP 06/02/2008 09:19		AmtRec: VIAL20,500G	#Containers: 2			Scr:	Alpha:	Beta:
5 KN8D1-1-AA-B J8F020000-426-BLK 06/02/2008 09:19		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:
6 KN8D1-1-AC-C J8F020000-426-LCS 06/02/2008 09:19		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:

150

Sample Preparation/Analysis

88 NO SAMPLE PREPARATION PERFORMED / DIRECT INJECTION
EA Chromium, Hexavalent (7196A)
5I CLIENT: HANFORD

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

AnalyDueDate: 07/17/2008

Batch: 8154426 mg/L
SEQ Batch, Test: None

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments:

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KN78H1AA-SAMP Constituent List:

KN78H1AC-MS Constituent List:

KN78H1AD-MSD:

KN8D11AA-BLK:

KN8D11AC-LCS:

KN78H1AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KN78H1AC-MS Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KN78H1AD-MSD:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KN8D11AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KN8D11AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By _____ Date: _____

TESTAMERICA

TESTAMERICA

6/3/2008 5:15:05 PM

Sample Preparation/Analysis

Balance Id:

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

88 NO SAMPLE PREPARATION PERFORMED / DIRECT INJECTION
EA Chromium, Hexavalent (7196A)

Pipet #:

AnalyDueDate: 07/18/2008

5I CLIENT: HANFORD

Sep1 DT/Tm Tech:

Batch: 8155503 WATER mg/L

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 KPAJ7-1-AA J8F030292-1-SAMP 06/03/2008 08:40		AmtRec: VIAL20,500G	#Containers: 2			Scr:	Alpha:	Beta:
2 KPAJ7-1-AC-S J8F030292-1-MS 06/03/2008 08:40		AmtRec: VIAL20,500G	#Containers: 2			Scr:	Alpha:	Beta:
3 KPAJ7-1-AD-D J8F030292-1-MSD 06/03/2008 08:40		AmtRec: VIAL20,500G	#Containers: 2			Scr:	Alpha:	Beta:
4 KPAJ7-1-AE-X J8F030292-1-DUP 06/03/2008 08:40		AmtRec: VIAL20,500G	#Containers: 2			Scr:	Alpha:	Beta:
5 ~~KPAJ9-1-AA~~ KPCC51AA ~~J8F030292-2-SAMP~~ J8F040186 SKS 7/8/08 06/03/2008 12:40		AmtRec: VIAL20,500G	#Containers: 2			Scr:	Alpha:	Beta:
6 KPAKX-1-AA-B J8F030000-503-BLK 06/03/2008 08:40		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:
7 KPAKX-1-AC-C J8F030000-503-LCS 06/03/2008 08:40		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:

6/3/2008 5:15:05 PM

Sample Preparation/Analysis

88 NO SAMPLE PREPARATION PERFORMED / DIRECT INJECTION
EA Chromium, Hexavalent (7196A)
5I CLIENT: HANFORD

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

AnalyDueDate: 07/18/2008

Batch: 8155503 mg/L
SEQ Batch, Test: None

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments:

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

KPAJ71AA-SAMP Constituent List:

KPAJ71AC-MS Constituent List:

KPAJ71AD-MSD:

KPAKX1AA-BLK:

KPAKX1AC-LCS:

KPAJ71AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPAJ71AC-MS Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPAJ71AD-MSD:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPAKX1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
KPAKX1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

Approved By Date: